(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 8 March 2001 (08.03.2001)

(10) International Publication Number WO 01/16176 A2

(51) International Patent Classification7:

C07K 14/47

(74) Agent: STERNAGEL, FLEISCHER, GODEMEYER & PARTNER; Braunsberger Feld 29, D-51429 Bergisch

(21) International Application Number:

PCT/EP00/08071

(81) Designated States (national): CA, JP, US.

Gladbach (DE).

NL, PT, SE).

Published:

(22) International Filing Date: 18 August 2000 (18.08.2000)

English

(25) Filing Language:

(26) Publication Language:

English

(30) Priority Data: 99116766.9

30 August 1999 (30.08.1999)

Without international search report and to be republished upon receipt of that report.

(84) Designated States (regional): European patent (AT, BE,

CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,

(71) Applicant (for all designated States except US): PHARMACEUTICALS GMBH BIOFRONTERA [DE/DE]; Hemmelrather Weg 201, D-51377 Leverkusen (DE).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(72) Inventor; and

(75) Inventor/Applicant (for US only): LÜBBERT, Hermann [DE/DE]; Höhenstrasse 59, D-51381 Leverkusen (DE).

Transgenic animal model for neurodegenerative diseases

The present invention relates to a mouse parkin2 DNA- and protein sequence containing naturally occurring or artificially introduced mutations or deletions, which cause Parkinson's disease in a human if they occur in the according human sequence, the construction of a truncated parkin gene, which expresses no, a non-active or a truncated parkin protein and a model of a transgenic animal, expressing such a less or non-active parkin protein instead of the native parkin protein or no parkin protein, as well as to the use of such a transgenic animal as a model for neurodegenerative diseases, preferred Parkinson's disease.

Neurodegenerative disorders are some of the most feared illnesses in society. During the last 10 years some of the genetic causes of many of the primary neurodegenerative disorders like Alzheimer's disease, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, prion disease and several ataxic syndromes, have been identified. These findings gave new insults in the knowledge about the initiating trigger as well as the resulting consequences of those diseases. Due to the fact that these diseases have many pathological mechanisms in common it seems possible that only relatively few pathways to neuronal death are involved in these disorders. Thus, treatment strategies for a particular neurodegenerative disease may be found to have value in other related disorders.

25

Parkinson's disease is a progressive neurodegenerative movement disorder with severe symptoms like rigidity, bradykinesia or tremor. The disease symptoms appear after degeneration of more than 70-80% of dopaminergic neurons. Broadly speaking the disease falls into two categories, namely late onset and early onset. Late onset, which occurs in older age (55+ years), mainly as consequence of environmental influences, leads to

15

20

enhanced dopaminergic neuron death at a faster rate and to a more severe degree than normal. Early onset Parkinson's disease is much more infrequent but starts between the ages of 35 and 60 years. There is evidence that three forms of this early type of Parkinson's disease show a tendency to run in families and is therefore known as familial Parkinson's disease.

In both the early and late onset types of Parkinson's disease, the pathology is the same but the abnormalities tend to be more severe and more widespread in cases beginning at an earlier age. The disease is characterised by lesions in brain areas where the cell bodies of the dopaminergic neurons are located mainly in the substantia nigra compacta. In addition intracytoplasmic inclusions known as Lewy bodies can be observed in different brain regions, in particular in substantia nigra and the locus ceruleus.

Recently two loci could be identified associated with early onset PD, one on human chromosome 4q21-23 ("PARK 1" gene locus) with a gene defect to be due to a missense mutation in the α -synuclein protein (or parkin1), a small abundant brain molecule (Polymeropoulos, M. et~al., Science 1997; 276:2045-2047), and one on chromosome 2p13 ("PARK 3" gene locus)(Gasser, T. et~al., Nat. Genet. 1998; 18: 262-265). Both forms are inherited in an autosomal dominant manner.

Lately an autosomal recessive form of familial Parkinson's disease could be observed, linked to human chromosome 6q25.2-27 ("PARK 2" gene locus) (Matsumine, H. et al., Am J Hum Genet (1997); 60: 588-596). This gene, designated parkin (or later parkin2) contains 12 exons spanning more than 500 kb and encodes a protein of 465 amino acids (molecular weight 51,652 Dalton) with homology to ubiquitin at the N-terminal portion and a RING-finger like motif at the C-terminal portion.

It has been shown, that mutations in the α -synuclein gene lead to autosomal dominant Parkinson's disease (Polymeropoulos, M. et al., Science 1997; 276: 2045-2047), as well as mutations in the parkin gene cause autosomal recessive juvenile parkinsonism (Kitada, T. et al., Nature 1998; 392: 605.608; Hattori, N. et al., Biochem Biophys Res Comm 1998; 249: 754-758)).

Further Hattori, N. et al., have been shown in Ann Neurol 1998; 44: 935-941, that different deletions in the parkin gene are the reason for truncated parkin proteins, causing autosomal recessive juvenile parkinsonism. Especially intragenic deletional mutations, involving exons 3 to 4, exon 3, exon 4 and exon 5, as well as exon 3 through exon 7 are described as effecting the disease. Deletion of exon 3 of the parkin gene is furthermore described by Lücking, C. et al. in the Lancet 1998; 352: 1355-1356 to cause autosomal recessive juvenile parkinsonism.

Investigations of Abbas, N. et al. Human Molecular Genetics 1999; 8: 567-574 and Kitada, T. et al., Nature 1998; 392: 805-808 show that mutations in the ubiquitin-like N-terminal part (exon 2) of the parkin gene can also cause autosomal recessive juvenile parkinsonism, as well as different frameshift- or missense mutations.

Leroy, E. et al., demonstrated in Hum Genet 1998; 103: 424-427 that deletions of exons 5, 6 and 7 of the human parkin gene leads to early onset Parkinson's disease.

25

At present most common therapies are dealing with the increase of dopamine content in PD patients via application of L-dopa as precursor of dopamine, dopamine agonists or MAO-B (Monoamino Oxidase B) inhibitors, e.g.

Deprenyl, by blocking the degradation of dopamine. There are no prophylactic therapies available to stop the progression of the degenerative disease before onset of symptoms in late onset PD. This is due to the fact that at present diagnosis is only possible when first symptoms occur. So

far it is not clear to which extent genetic components enhance the environmental components responsible for the increased cell death of dopaminergic neurons.

Although different transgenic animal models for neurodegenerative diseases like Alzheimer's disease have been created, a transgenic animal model for Parkinson's disease has not yet been described.

Homologous recombination may be employed for inactivation or alteration of genes in a site-directed manner. A number of papers describe the use of homologous recombination in mammalian cells, including human cells. Illustrative of these papers are Kucherlpati et al. (1984) Proc. Natl. Acad. Sci. USA 81:3153-3157; Kucherlapati et al. (1985) Mol. Cell. Bio. 5:714-720; Smithies et al. (1985) Nature 317:230-234; Wake et al. (1985) Mol. Cell. Bio. 8:2080-2089; Ayares et al. (1985) Genetics 111:375-388; Avares et al. (1986) Mol. Cell. Bio. 7:1656-1662; Song et al. (1987) Proc. Natl. Acad. Sci. USA 84:6820-6824; Thomas et al. (1986) Cell 44:419-428; Thomas and Capecchi (1987) Cell 51:503-512; Nandi et al. (1988) Proc. Natl. Acad. Sci. USA 85:3845-3849; and Mansour et al. (1988) Nature 336:348-352. Various aspects of using homologous recombination to create specific genetic mutations in embryonic stem cells and to transfer these mutations to the germline have been described (Evans and Kaufman (1981) Nature 294:154-146; Dotschman et al., (1987) Nature 330:576-578; Thomas and Capecchi (1987) Cell 51:503-512; Thompson et al. (1989) Cell 56:316-25 321. The combination of a mutant polyoma enhancer and a thymidine kinase promoter to drive the neomycin gene has been shown to be active in both embryonic stem cells and EC cells by Thomas and Capecchi, supra, 1987; Nicholas and Berg (1983) in Teratocarcinoma Stem Cell, eds. Siver, martin and Strikland (Cold Spring Harbor Lab., Cold Spring Harbor, N.Y. (pp. 469-497); and Linney and Donerly, Cell 35:693-699, 1983.

The object of the present application is to provide the suppositions for a test model for neurodegenerative diseases, preferably Parkinson's disease and a valuable tool in the diagnosis and treatment of these conditions, as well as the development of experimental models of Parkinson's disease that can be used to define further the underlying biochemical events involved in the pathogenesis of this disease.

This object is met by a polynucleotide sequence encoding a mouse parkin2 protein, containing naturally occurring or artificially introduced mutations or deletions, which cause Parkinson's disease in a human if they occur in the according human sequence, a vector, containing such a sequence, a prokaryotic or eukaryotic cell, containing such a vector and a transgenic non-human animal, whose one or both alleles of a gene encoding a parkin gene are mutated in a way, that a protein with modified, preferred less activity or no active protein is expressed.

The transgenic non-human animals according to the present invention can be used as models for analysing the symptoms of neurodegenerative diseases or as a model system for testing the efficacy of a treatment for a neurodegenerative disease, whereby it is not an object of the present application to provide any method for treating one of the described diseases in a human or animal.

Such models could presumably be employed, in one application, to screen
for agents that alter the degenerative course of Parkinson's disease. For
example, a model system of Parkinson's disease could be used to screen for
environmental factors that induce or accelerate the pathogenesis. Further
an experimental model could be used to screen for agents that inhibit,
prevent, or reverse the progression of Parkinson's disease. Presumably,
such models could be employed to develop pharmaceuticals that are
effective in preventing, arresting, or reversing Parkinson's disease.
Further such models can be used for examination of behaviour during the

10

15

20

25

30

development of a neurodegenerative disease, for examination of physiological and molecular biological correlation of the disease, for studies of drug effects and for determination of effective drug doses and toxicity. These applications should be considered as examples and should not limit the application of the models in any way.

The present invention provides model systems of neurodegenerative diseases, preferred Parkinson's disease, wherein the model system comprises a mutated isoform or a fragment of the mouse parkin2 gene (further designated as mPark2), a DNA sequence derived from SEQ ID NO: 1 encoding a mouse parkin2 protein corresponding to the human parkin protein encoded by human chromosome gene region 6q25.2-27 ("PARK 2" gene locus). Preferred the model system contains a mutated mPark2 sequence or a mPark2 sequence containing any deletion, coding for a mutated or truncated, less active or non-active parkin protein.

The sequence of human α -synuclein (parkin1) gene, as well as human parkin (parkin2) gene is known. Human parkin2 gene (further designated as hPark2) contains 12 exons, coding for a protein which has in full length 465 amino acids and a molecular weight of 51,652 Daltons.

The present application shows the full length cDNA of mPark2 in SEQ ID NO:1, consisting of 12 exons, containing the full length open reading frame for the mouse parkin2 protein (SEQ ID NO:4) which coding region consists of 1395 bp. coding for a protein of 464 amino acids with a calculated molecular weight of 51615 Dalton. Further two shorter cDNAs spanning a coding region of 789 bp (SEQ ID NO: 2 (isolated from mouse brain cDNA library by specific PCR)) and 753 bp (SEQ ID NO: 3 (isolated from mouse kidney cDNA library by specific PCR)) corresponding to amino acid sequences of 262 amino acids (SEQ ID NO:5) and 250 amino acids (SEQ ID NO:6) respectively are provided.

PCT/EP00/08071

During the work of isolation and sequencing of the sequences SEQ ID NO: 1 to 3 shown in this application Shimizu, N. et al. submitted a mouse parkin DNA sequence to the EMBL GenBank database, published in July 1999 with the accession number AB019558. The protein sequence of the mouse parkin protein encoded by the published sequence is identical to SEQ ID No: 4.

7

The present invention refers to polynucleic acid sequences derived from SEQ ID NO: 1, containing naturally occurring or artificially introduced mutations or deletions, which are known to cause Parkinson's disease in a human if they occur in the according human sequence.

The present invention encompasses further polynucleotide sequences containing naturally occurring mutations according to the wobble principle, which represents the degeneration of the genetical code, as well as according to the polymorphism of the genetical code, encoding any protein which has the same or a homologous amino acid sequence as any of the mutated or truncated mouse parkin2 proteins of the present invention.

"Homologous amino acid sequence" in content with the mouse parkin2 protein
20 means in the present application an amino acid sequence, wherein at least
70 %, preferably 80 %, more preferably 90 % of the amino acids are
identical to one of the proteins of the present invention and wherein the
replaced amino acids preferably are replaced by homologous amino acids. As
"homologous" amino acids are designated which have similar features
25 concerning hydrophobicity, charge, steric features etc. Most preferred are
amino acid sequences, containing the species-dependent differences of the
mouse amino acid sequence compared to human parkin protein shown in the
alignment Figure No. 1. The alignment of the corresponding polynucleotide
sequences with the exon boundaries is shown in Figure No. 2.

5

10

15

30

In the whole application for nucleotides and amino acids the usual designations (one-letter ore three-letter code) are used, known by any person skilled in the art.

5 The full length polynucleotide sequence of SEQ ID NO:1 or fragments thereof can be obtained by isolation of genomic DNA, containing exons and introns of the mPark2 gene, by RNA transcripts of the DNA or by the preparation of cDNA, containing only the exons of the mPark2 gene. Further the full length sequence as well as fragments thereof may be obtained by synthetical polymerisation of nucleotides.

A preferred polynucleotide sequence of the present application is a polynucleotide sequence derived from SEQ ID NO: 1, which is either mutated or in which parts of the sequence are deleted. Mutations, insertions or deletions may be located 5'upstream of the open reading frame (i.e. in the promotor-region), or they can concern one or more exons of the open reading frame. More preferred is a sequence, containing either a mutated full length sequence or fragments of SEQ ID NO:1, encoding a truncated parkin2 protein (i.e. by mutations leading to a STOP codon or by deletions) or no protein (i.e. if the mutation or deletion is located in the promoter-region in exon 1).

More preferred mutations or deletions concern either exon 1, wherein the promotor region is contained, or exon 3 and/or one or more of the other exons.

Most preferred the polynucleotide sequence of the present application is selected from SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17; SEQ ID NO: 18, SEQ ID NO:19 or SEQ ID NO:20 (see also Table 1 and 2).

WO 01/16176

10

One of the polynucleotide sequences SEQ ID NO:1 to 3 may be treated *in vitro* or *in vivo* by random or site-directed mutagenesis, by random or site-directed digestion, by recombination or fusion or any other method known of persons skilled in the art to obtain sequences derived from SEQ ID NO:1 containing mutations or deletions leading to a less active or to no parkin protein. Of course a person skilled in the art will understand that the present invention encompasses as well any construction in which parts of or the whole polynucleotide sequence encoding the parkin gene is deleted or replaced by another sequence (i.e. by a sequence encoding an antibioticum-resistance).

To obtain at least a transgenic non-human animal as a model for neurodegenerative diseases, the natural occurring sequence of the parkin gene in this animal may be replaced on one or both alleles of the chromosomes by a sequence of mPark2, containing mutations or deletions according to the present invention. These animals produce either less or less active or no parkin protein.

The transgenic animals of the present invention are created using targeted gene replacement, a sequence by which a specific DNA sequence of interest (target DNA) is replaced by an altered DNA (replacement DNA). The genome of embryonic stem (ES) cells is modified using homologous recombination (Capecchi, Science 1989; 244:1288 and U.S. Pat. No. 5.487,992). The embryonic stem cells are injected in blastocysts as an early state of the developing embryo. The blastocysts are then placed in a pseudopregnant female animal.

Briefly, a vector is constructed that carries the replacement DNA. Both ends of the replacement DNA are flanked by long DNA sequences homologous to the sequences flanking the target DNA. When the vector is introduced into ES cells, the homologous sequences align and recombination may take place. This results in the target DNA being exchanged for the replacement

WO 01/16176 PCT/EP00/08071

10

DNA. The vector is not replicated in the cells and will be lost. The frequency of homologous recombination is low; thus, a screening system is used. The replacement DNA will contain a positive marker sequence, usually a neomycin resistance gene. Thus, any cells that incorporate the replacement DNA by homologous recombination will resist neomycin. By growing cells in medium containing the drug neomycin one can select only those cells containing the replacement DNA. The ES cells containing the replacement DNA are then inserted into recipient mouse blastocysts to create chimeric mice. Chimeras with germ cells derived for the altered ES cells transmit the modified genome to their offspring, yielding mice heterozygous for the target DNA (contain one target DNA and one replacement DNA). The heterozygotes are then bred with each other either to create mice homozygous for the replacement DNA and deficient in the target DNA or to maintain transgenic heterozygotes if the homozygotic mice are not viable.

10

15

The DNA will comprise at least a portion of the gene(s) at the particular locus with introduction of a lesion into at least one, usually both copies, of the native gene(s), so as to prevent expression of a functional parkin protein. The lesion may be an insertion, deletion, replacement or combination thereof. When the lesion is introduced into only one copy of the gene being inactivated, the (heterozygote) cells having a single unmutated copy of the target gene are amplified and may be subjected to a second transformation, where the lesion may be the same or different from the first lesion, usually different, and where a deletion, or replacement is involved, may be overlapping at least a portion of the lesion originally introduced. The resulting transformants are screened for the absence of the functional protein of interest and the DNA of the cell may be further screened to ensure the absence of a wild-type target gene.

Alternatively, homozygosity as to a phenotype may be achieved by breeding

30 Alternatively, homozygosity as to a phenotype may be achieved by breeding hosts heterozygous for the mutation.

WO 01/16176

PCT/EP00/08071

For the construction of a transgenic animal model according to the present application any suitable animal may be employed, however mammals are preferred. More preferred are rodents and most preferred are rats and mice.

5

In the following the single steps of creating the animal models will be described in detail.

Starting from a polynucleotide sequence encoding a parkin gene, preferably from a sequence encoding a mPark2 gene, more preferably from a sequence according to any of SEQ ID NO:1 to 3, most preferred from SEQ ID NO: 1 a desired mutation, insertion or deletion is introduced to the sequence. Methods to create mutations by random or site-directed mutagenesis or desired insertions or deletions by random or site-directed digestion and/or replacement are commonly known to persons skilled in the art and broadly described in the literature. The method how a mutation, insertion or deletion is introduced in the sequence is not relevant, however falls under the scope of the present invention, as long as any of the later described nucleotides, amino acids or sequences are involved.

20

The constructs may be modified to include functional entities other than the mutated sequence which may find use in the preparation of the construct, amplification, transformation of the host cell, and integration of the construct into the host cell.

25

The homologous sequence for targeting the construct may have one or more deletions, insertions, substitutions or combinations thereof. For example, the mPark2 gene may include a deletion at one site and an insertion at another site which includes a gene which may be used for selection, where the presence of the inserted gene will result in a defective inactive protein product. Preferably, substitutions are employed. For an inserted gene, of particular interest is a gene which provides a marker, e.g.,

PCT/EP00/08071

12

WO 01/16176

30

antibiotic resistance such as neomycin resistance, including G418 resistance.

The deletion will be at least about 50 bp, or more usually at least about 100 bp, and generally not more than about 20 kbp, where the deletion will normally include at least a portion of the coding region including a portion of or one or more exons, a portion of one or more introns, and may or may not include a portion of the flanking non-coding regions, particularly the 5'-non-coding region (transcriptional regulatory region).

Thus, the homologous region may extend beyond the coding region into the 5'-non-coding region or alternatively into the 3'-non-coding region.

Insertions will generally not exceed 10 kbp, usually not exceed 5 kbp, generally being at least 50 bp, more usually at least 200 bp.

15 The homologous sequence should include at least about 100 bp, preferably at least about 150 bp, more preferably at least about 300 bp of the target sequence and generally not exceeding 20 kbp, usually not exceeding 10 kbp, preferably less than about a total of 5 kbp, usually having at least about 50 bp on opposite sides of the insertion and/or the deletion in order to 20 provide for double crossover recombination.

Upstream and/or downstream from the target gene construct may be a gene which provides a tool to select out primary random integration of the construct in the genome. For this purpose, the herpes simplex virus thymidine kinase gene may be employed, since the presence of the thymidine kinase gene may be detected by the use of nucleoside analogs, such as Gancyclovir or Acyclovir, for their cytotoxic effects on cells that contain a functional HSV-tk gene. The absence of sensitivity to these nucleoside analogs indicates that homologous recombination has occurred.

The presence of the marker gene inserted into the gene of interest establishes the integration of the target construct into the host genome.

WO 01/16176 PCT/EP00/08071

However, DNA analysis might be required in order to establish whether homologous or non-homologous recombination occurred. This can be determined by employing probes for the insert and then sequencing the 5' and 3' regions flanking the insert for the presence of the gene of interest extending beyond the flanking regions of the construct or identifying the presence of a deletion, when such deletion is introduced.

13

The polymerase chain reaction (PCR) may be used, with advantage in detecting the presence of homologous recombination (Kim and Smithies, (1988) Nucleic Acid Res. 16:8887-8903; and Joyner et al (1989) Nature 338:153-156). Primers may be used which are complementary to a sequence within the construct, usually complementary to the selection marker gene, and complementary to a sequence outside the construct and at the target locus. In this way, one can only obtain DNA duplexes having both of the primers present in the complementary chains in homologous recombination has occurred. By demonstrating the presence of the primer sequences or the expected size sequence, the occurrence of homologous recombination is supported. Any person skilled in the art knows how to determine the suitable PCR primers and conditions.

20

5

10

15

The construct may further include a replication system which is functional in the mammalian host cell. For the most part, these replication systems will involve viral replication systems, such as Simian Virus 40, Epstein-Barr virus, papilloma virus, adenovirus and the like.

25

30

Where a marker gene is involved, as an insert, and/or flanking gene, depending upon the nature of the gene, it may have the wild-type transcriptional regulatory regions, particularly the transcriptional initiation regulatory region or a different transcriptional initiation region. Whenever a gene is from a host where the transcriptional initiation region is not recognized by the transcriptional machinery of the mammalian host cell, a different transcriptional initiation region

will be required. This region may be constitutive or inducible, preferably inducible. A wide variety of transcriptional initiation regions have been isolated and used with different genes. Of particular interest as promoters are the promoters of metallothionein-I and II from a mammalian host, thymidine kinase, beta-actin, immunoglobulin promoter, human cytomegalovirus promoters, and SV40 promoters. In addition to the promoter, the wild-type enhancer may be present or an enhancer from a different gene may be joined to the promoter region.

The construct may further include a replication system for prokaryotes, particularly E. coli, for use in preparing the construct, cloning after each manipulation, allowing for analysis, such as restriction mapping or sequencing, followed by expansion of a clone and isolation of the plasmid for further manipulation. When necessary, a different marker may be employed for detecting bacterial transformants.

Once the vector has been prepared, it may be further manipulated by deletion of the bacterial sequences as well as linearisation, where a short deletion may be provided in the homologous sequence, generally not exceeding about 500 bp, generally being from about 50 to 300 bp. The small deletion will generally be near one or other end of the targeted structural gene.

The construction of the desired polynucleotide sequence may be carried out in a cloning vector and linearised prior to the transfection of ES cells. A broad range of cloning vectors as well as vectors for the homologous recombination are commercially available and may be selected according to the desired construction.

30 Cloning vectors are usually replicated in prokaryotic cells, which renders the selection and multiplication of the desired construct. It is not

WO 01/16176

critical which prokaryotic organism is used, but usually E.coli or a yeast strain is preferred.

E. coli is one prokaryotic host useful particularly for cloning the DNA sequences of the present invention. Other microbial hosts suitable for use include bacilli, such as Bacillus subtilus, and other enterobacteriaceae, such as Salmonella, Serratia, and various Pseudomonas species. In these prokaryotic hosts, one can also make expression vectors, which will typically contain expression control sequences compatible with the host cell (e.g., an origin of replication). In addition, any number of a variety of well-known promoters will be present, such as the lactose promoter system, a tryptophan (trp) promoter system, a beta-lactamase promoter system, or a promoter system from phage lambda. The promoters will typically control expression, optionally with an operator sequence,
15 and have ribosome binding site sequences and the like, for initiating and completing transcription and translation.

Other microbes, such as yeast, may also be used for expression.

Saccharomyces is a preferred host, with suitable vectors having expression control sequences, such as promoters, including 3-phosphoglycerate kinase or other glycolytic enzymes, and an origin of replication, termination sequences and the like as desired.

Homologous recombination may be used to insert a mutant sequence into a

25 host genome at a specific site, for example, at a host parkin locus. In

one type of homologous recombination, one or more host sequence(s) are

replaced; for example, a host parkin allele (or portion thereof) is

replaced with a mutant parkin allele (or portion thereof). In addition to

such gene replacement methods, homologous recombination may be used to

target a mutant parkin allele to a specific site other than a host parkin

locus. Homologous recombination may be used to produce transgenic non
human animals and/or cells that incorporate mutant parkin alleles.

Further to the above described techniques a step of expressing the treated sequence may be inserted in the expiration. Therefore the construct is (sub)cloned into any expression vector, which may be brought into a suitable eukaryotic cell. These expression vectors are typically replicable in the host organisms either as episomes or as an integral part of the host chromosomal DNA. Commonly, expression vectors will contain selection markers, e.g., tetracycline resistance or hygromycin resistance, to permit detection and/or selection of those cells transformed with the desired DNA sequences. Polynucleotides encoding a variant parkin2 10 polypeptide may include sequences that facilitate transcription (expression sequences) and translation of the coding sequences, such that the encoded polypeptide product is produced. Construction of such polynucleotides is well known in the art and is described further in Maniatis et al. Molecular Cloning: A Laboratory Manual, 2nd Ed. (1989), 15 Cold Spring Harbor, N.Y. For example, but not for limitation, such polynucleotides can include a promoter, a transcription termination site (polyadenylation site in eukaryotic expression hosts), a ribosome binding site, and, optionally, an enhancer for use in eukaryotic expression hosts. 20 and, optionally, sequences necessary for replication of a vector.

Any suitable eukaryotic cell may be used, but insect cells or mammalian cells as primary cells or immortalized cell lines are preferred.

A number of suitable host cell lines capable of secreting intact human proteins have been developed in the art, and include the CHO cell lines, various COS cell lines, HeLa cells, myeloma cell lines, Jurkat cells, etc. Baculovirus expression systems are useful for high level expression of heterologous genes in eukaryotic cells. Knops et al. (1991) J. Biol. Chem. 266(11):7285. Expression vectors for these cells can include expression control sequences, such as an origin of replication, a promoter, an enhancer (Queen et al. (1986) Immunol. Rev. 89:49, and necessary

processing information sites, such as ribosome binding sites, RNA splice sites, polyadenylation sites, and transcriptional terminator sequences. Preferred expression control sequences are promoters derived from immunoglobulin genes. SV40, Adenovirus, Bovine Papilloma Virus, and the like. The vectors containing the DNA segments of interest can be transferred into the host cell by well-known methods, which vary depending on the type of cellular host. For example, calcium chloride transfection is commonly utilized for prokaryotic cells, whereas calcium phosphate treatment, microinjection of DNA into the nucleus or electroporation may be used for other cellular hosts. (See, generally, Maniatis, et al. 10 Molecular Cloning: A Laboratory Manual, 2nd. Ed. Cold Spring Harbor Press, (1989). The DNA may be single or double stranded, linear or circular. relaxed or supercoiled DNA. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology (1990) 185:527-15 537.

For the creation of an animal model according to the present invention each polynucleotide sequence can be used, containing mutations, insertions or deletions which are known to cause Parkinson's disease in a human, when they occur in the corresponding human sequence. Preferred polynucleotide 20 sequences for the creation of an animal model according to the present invention are those which mutations are shown in table 2. More preferred are polynucleotide sequences containing mutations or deletions shown in table 1. The most preferred polynucleotide sequence for the construction of a transgenic animal of the present invention is SEQ ID NO: 725 Further enclosed to the present invention is an animal model wherein the parkin sequence is replaced by an according sequence of another mammal (i.e. by the human sequence, containing one of the mutations, insertions or deletions described in the present application) or by a sequence encoding a marker, i.e. an antibioticum.

Table 1: Mutations or deletions in mPark2 cDNA (SEQ ID NO:1)

Position in	Replacement (DNA)	Replacement	SEQ ID NO	SEQ ID NO
SEQ ID NO:1		(protein)	(DNA seq)	(prot seq)
NT 300-540	Exon3	Frameshift,	7	21
		Truncation		
NT 300-659	Exon3-4	ORF, deletion of	8	22
		121 aa		
NT 300-996	Exon3-7	Frameshift,	9	23
		Truncation		
NT 541-659	Exon 4	Frameshift,	10	24
		Truncation		
NT 659-744	Exon 5	Frameshift,	11	25
1		Truncation		
NT 660-996	Exon 5-7	Frameshift.	12	26
		Truncation		
NT 996-1208	Exon 8-9	Frameshift,	13	27
		Truncation		
NT: 229-230	deletion AG	Gln→Stop at	14	28
(aa 34)		aa 38, nonsense		
NT: 282 (aa	deletion A	Asn→Stop at	15	29
52)		aa 54, nonsense		
NT: 350-351	deletion AG	Arg→Stop at	16	30
(aa 74)		aa 78, nonsense		
NT: 136-299	Exon 2	Frameshift,	17	31
		Truncation		
aa = amino aci	<u> </u>	L		

aa = amino acid

NT = nucleotide

Table 2: Replaced amino acids in mPark2 cDNA (SEQ ID NO:1)

Position in	Replacement	Replacement	SEQ ID NO	SEQ ID NO
SEQ ID NO:1	(DNA)	(protein)	(DNA seq)	(prot seq)
NT: 608	G→T,	Lys→Asn (aa 161)	18	32
NT: 1369	C→A,	Thr→Asn (aa 415)	19	33
NT: 1483	G→A,	Trp→Stop (aa 453)	20	34

aa = amino acid

5 NT = nucleotide

Once the construct has been prepared and manipulated, the DNA is isolated from the procaryotic host according to any method known in the art. Before the DNA construct is introduced into the target cells for homologous 10 recombination undesired sequences may be removed from the vector, e.g. the undesired bacterial sequences. As target cells an embryonic stem (ES) cell line may be used. As already indicated above for the expression system, any convenient technique for introducing the DNA into the target cells may be employed. After transformation of the target cells, many target cells 15 are selected by means of positive and/or negative markers, as previously indicated, neomycin resistance and Acyclovir or Gancyclovir resistance. Those cells which show the desired phenotype may then be further analyzed by restriction analysis, electrophoresis, Southern analysis, polymerase chain reaction or the like. By identifying fragments which show the 20 presence of the lesion(s) at the target gene site, one can identify cells in which homologous recombination has occurred to inactivate the target gene.

For embryonic stem cells, after mutation, the cells may be plated onto a feeder layer in an appropriate medium, e.g., fetal bovine serum enhanced DMEM. Cells containing the construct may be detected by employing a selective medium and after sufficient time for colonies to grow, colonies

may be picked and analyzed for the occurrence of homologous recombination. As described previously, the polymerase chain reaction may be used, with primers within and without the construct sequence but at the target locus. Those colonies which show homologous recombination may then be used for embryo manipulating by blastocyst injection. Blastocysts may be obtained from 4 to 6 week old superovulated females by flushing the uterus 3.5 days after ovulation. The embryonic stem cells may then be trypsinized and the modified cells added to a droplet containing the blastocysts. At least one, usually at least about 10, and up to about 15 of the modified 10 embryonic stem cells may be injected into the blastocoel of the blastocyst. After injection, at least one and not more than about 15 of the blastocysts are returned to each uterine horn of pseudopregnant females. Alternatively, any of the common techniques, i.g. microinjection of the mutated gene, or a fragment thereof, into a one-cell embryo 15 followed by incubation in a foster mother can be used.

The pups will usually be born 16-18 days after introduction of the blastocysts into foster mothers. Chimeric animals will be mated with wild type (wt) mice to create heterozygote transgenics.

20

With these methods it is possible to obtain transgenic non-human animals, whose one or both allels of a gene encoding a parkin gene are mutated in a way, that a parkin protein with modified, preferred less activity or no active parkin protein is expressed.

25

"Mutated" means in this content replacements, insertions or deletions of nucleotides or polynucleotide sequences.

In consequence of the mutated parkin gene these animals produce a mutated or truncated parkin protein or no parkin protein. Preferred - if a parkin protein is expressed - the parkin protein expressed by the transgenic animal contains any of the mutations or deletions shown in table 1 and 2.

represented by any of the proteins with an amino acid sequence of SEQ ID NO:5. SEQ ID NO:6. SEQ. ID NO:21. SEQ ID NO:22. SEQ ID NO:23. SEQ ID NO:24. SEQ ID NO:25. SEQ ID NO:26. SEQ ID NO:27. SEQ ID NO:28. SEQ ID NO:29. SEQ ID NO:30. SEQ ID NO:31. SEQ ID NO:32. SEQ ID NO:33. SEQ ID NO:34 or naturally occurring or artificially introduced mutants with a homologous protein sequence or fragments thereof. particularly preferred a parkin protein with a sequence according to SEQ ID NO:21 is expressed.

The expression of one of these proteins or no parkin protein in the transgenic non-human animals causes these animals to display features of a neurodegenerative disease. These features can be manifested in developing physiological, biochemical or molecular biological modifications in e.g. cells. tissues, organs or neuronal structures.

- In accordance with standard protocols, cultured eukaryotic cells, either primary cultures or immortalised cell lines, may be transfected, either transiently or stably, with a mutant or fragmented mPark2 allele so that the cultured eukaryotic cell expresses a mutant parkin2 polypeptide.
- 20 The present application further refers to cells, typically mammalian cells and preferably mammalian cells of the neural, glial, or astrocytic lineage, that have been transformed or transfected with any DNA sequence according to the present invention, as well as to any cells which have been derived from a transgenic non-human animal, whereby the cells express any of the mutated parkin2 proteins isoforms according to the present invention, preferred any of the isoforms shown in table 1 or 2 or fragments thereof, or they contain a parkin sequence which is mutated in a way that they don't express a parkin protein. The cells derived from the transgenic animals may be cultured as cell-lines or as primary cultures.

WO 01/16176

15

20

Once established, all such cell lines can be grown continuously in culture and may be used for a variety of in vitro experiments to study parkin expression and processing.

5 The present invention further refers to a method of producing transgenic non-human animals and transformed cells that contain any polynucleotide sequence encoding any mutant mouse parkin2 protein isoform according to the present invention, preferably such as shown in table 1 or 2 or naturally occurring or artificially introduced mutants or fragments thereof.

Preferred the above described polynucleotide sequences, the proteins and amino acid sequences as well as the transgenic animal models and cell lines may be used for any method for analysing the symptoms of neurodegenerative diseases.

Such neurodegenerative diseases encompass among others Parkinson's disease, Alzheimer's disease, Huntigton's disease, amyotrophic lateral sclerosis, Multisystem atrophy, Wilson's disease, Pick's disease, Prion disease, or second causes inducing Parkinson's syndromes like toxins (e.g. Mn, Fe, 6-hydroxydopamine, MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine), CO), drugs, brain tumors, head trauma, stroke vascular irregularities, or metabolic irregularities.

Enclosed to these methods are methods outside of a living body, which are methods of molecular biology like PCR, Southern and Northern blot analysis, construction of DNA or RNA probes, as well as Western blot analysis, preparation of epitopes from the protein or amino acid sequences mentioned in this application, production of monoclonal and polyclonal antibodies. These methods may be used for screening of samples, preferred of biological fluids for either the expression of parkin protein as a method for detecting the presence of the protein, or in a nucleic acid

WO 01/16176 PCT/EP00/08071

sample or another sample removed from a subject, the presence of the gene for Parkinson's disease comprising identifying a genetic alteration in a gene sequence coding for parkin. Further enclosed are pathobiochemical, immunobiological and neurological as well as histochemical methods carried out after sacrificing the animal for considering the effects of neurodegenerative diseases, particularly Parkinson's disease to the living body. Further methods for locating the presence of genetic alterations associated with Parkinson's disease are provided. These methods may be used outside of a living body to predict the development of the disease prior to onset or for genetic screening.

However, particularly preferred is a method of testing the efficacy of a treatment for a neurodegenerative disease associated with a less active or non-active parkin protein, comprising subjecting any of the created transgenic animals as a model to a putative treatment and determining the efficacy of said treatment.

These testing methods preferably comprise administering an active substance, whose effect can be determined by any of the above described methods, to a transgenic animal according to the present invention.

20

By the use of the transgenic animals described in the present application it is possible the first time to test in a model system whether an active substance is useful for treating a condition associated with non-active parkin protein and determining a level of the active substance, which causes an effect in treating the disease.

Treatments may carried out as single dose applications, but it is preferred to use the transgenic animals in long-time experiments with multiple dose applications.

The transgenic animals of the present application may be particularly used as model systems for screening for drugs and evaluating drug effectiveness. Additionally, such model systems provide a tool for defining the underlying biochemistry of neurodegenerative diseases, which thereby provides a basis for rational drug design. The models may be used further for studies of behaviour, physiological and molecular biological examinations, pharmacological and toxicological studies and several other applications.

Having detected the genetic mutation in the gene sequence coding for parkin protein in an individual not yet showing overt signs of Parkinson's disease, using any of the methods of the present invention, it may be possible to employ gene therapy, in the form of gene implants, to prevent the development of the disease.

15

Additional embodiments directed to modulation of the production of variant parkin proteins include methods that employ specific antisense polynucleotides complementary to all or part of a variant parkin sequence according to any of the sequences mentioned in this application, or for some embodiments a wild-type parkin sequence. Such complementary antisense polynucleotides may include nucleotide substitutions, additions, deletions, or transpositions, so long as specific hybridisation to the relevant target sequence is retained as a property of the polynucleotide. Thus, an antisense polynucleotide must preferentially bind to a variant parkin sequence as compared to a wild-type parkin. It is mostly preferred that the antisense polynucleotide reflects the exact nucleotide sequence of the variant allele (or wild-type allele where desired) and not a degenerate sequence.

30 Complementary antisense polynucleotides include soluble antisense RNA or DNA oligonucleotides which can hybridise specifically to a variant parkin mRNA species and prevent transcription of the mRNA species and/or

translation of the encoded polypeptide (Ching et al. (1989) Proc. Natl. Acad. Sci. U.S.A. 86:10006; Broder et al. (1990) Ann. Int. Med. 113:604; Loreau et al. (1990) FEBS Letters 274:53-56); Holcenberg et al. W091/11535; U.S. Pat. No. 7,530,165 ("New human CRIPTO gene"--publicly available through Derwent Publications Ltd., Rochdale House, 128 Theobalds Road, London, UK); W091/09865; W091/04753; W090/13641; and EP 386563, each of which is incorporated herein by reference). The antisense polynucleotides therefore inhibit production of the variant parkin polypeptides.

10

15

20

Antisense polynucleotides may be produced from a heterologous expression cassette in a transfectant cell or transgenic cell or animal, such as a transgenic neural, glial, or astrocytic cell, preferably where the expression cassette contains a sequence that promotes cell-type specific expression (Wirak et al. loc. cit.). Alternatively, the antisense polynucleotides may comprise soluble oligonucleotides that are administered to the external milieu, either in the culture medium in vitro or in the circulatory system or interstitial fluid in vivo. Soluble antisense polynucleotides present in the external milieu have been shown to gain access to the cytoplasm and inhibit translation of specific mRNA species. In some embodiments the antisense polynucleotides comprise methylphosphonate moieties. For general methods relating to antisense polynucleotides, see Antisense RNA and DNA, (1988), D. A. Melton, Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.).

25

Legends to the figures:

Figure 1 shows the alignment of the deduced amino acid sequences of the human and mouse Parkin2 protein (SEQ ID NO: 4).

30 Underlinded are the conserved ubiquitin like (at the N-terminus) and Ring finger like (at the C-terminus) regions of both proteins.

Figure 2 shows the alignment of the nucleotide sequences of the human and mouse parkin 2 gene. Bold lines represent the exon boundaries identified for the human and mouse sequence.

5 Figure 3 represents a flow chart of the cloning procedure of the mouse parkin2 gene - exon3 knock-out construct.

Abbreviations:

- a) Restriction endonucleases:
- N = NotI, E= Eco RI, B= BamHI, H= HindIII, X= XbaI.
- b) Modifications: ()= T4 DNA polymerase treatment in order to remove a restiction site in the resulting plasmid.
 - c) pBluescript KSII (Stratagene) vector sequence $= \lambda \text{-Fix vector sequence}$
 - d) HSV-tk = herpes simples promotor and thymidine kinase gene
- e) kb = kilobases

The following examples are provided for illustration and are not intended to limit the invention to the specific example provided.

20 Example 1

Isolation of mouse Parkin2 cDNA clones:

Arrayed mouse brain and mouse kidney cDNA libraries (Biofrontera

25 Pharmaceuticals/ Bio Systems) were screened by PCR under standard conditions using the primers Ex2s:tcaggttcaactccagctatggc and Ex2as:

tgcctgcgaaaatcacacgcagc. The cycle conditions were the following: 3 min.

95°C, (30sec. 95°C, 30sec. 56°C, 1min. 72°C) x 35 cycles.

Single colonies containing the mPark2 genes were verified by colony hybridisation according to the protocol described by Maniatis et al. 1989 (see above).

Construction of the Del Exon3 parkin gene (according to SEQ ID NO: 7) 5

All the further described cloning steps are shown in Figure 3. A genomic lambda ZIP clone (genomic mouse λ -Fix library, Stratagene) containing the exon 3 of the parkin gene was isolated by PCR using exon3 specific primer 10 of the mPark2 gene. A 3.1 kb BamHI/HindIII fragment of the lambda ZIP clone containing genomic DNA 3' end to the exon3 of mPark2 was cloned into the cloning vector pBluescript KS (Stratagene) to obtain the plasmid pmPark2-BH. Secondly, a 5 kb HindIII/EcoRI genomic DNA fragment was inserted into the HindIII site of the pmPark2-BH-clone. The EcoRI and HindIII sites were destroyed by T4 DNA polymerase treatment. As result the plasmid pmPark2-BE- with a 8.1 kb long genomic region to the 3'-end of the exon 3 could be obtained.

A 2.0 kb XbaI/XhoI (the XbaI restriction site is located within the multiple cloning sequence (mcs) of Lambda Fix) genomic DNA fragment 20 containing the genomic region 5' to the exon3 was cloned into the EcoRI site of the pNeoloxp-vector (Giese et al. Science, 1998, 279:870-3) after generation of blunt ends by T4 DNA polymerase treatment. The BamHI-site (5'-to the EcoRI-site) of this vector was used subsequently for the insertion of the 2.5 kb HSV-tk-marker gene. Again T4 DNA polymerase was 25 used to generate blunt ends before ligation in order to eliminate the used cloning site. The resulting vector was digested with the restriction enzymes NotI and XhoI to obtain a 6.5 kb fragment containing the HSV-tk. the 2kb XhoI/XbaI genomic region to 5'-end of exon3, and the neo-marker. 30 The vector pmPark2-BE was digested with XhoI to linearise the plasmid. Both the isolated 6.5 kb fragment as well as the linear vector were

treated with T4 DNA polymerase prior to ligation to eliminate the used restriction sites.

This plasmid pmPark2del-ex3 was linearised with the restriction enzyme NotI prior to transfection into ES cells.

Example 2

Transfection of ES cells:

10

Isolation and Freezing of the ES cells:

14 days old embryos were isolated, head and organs were removed from embryos, the remaining tissue was minced, and washed with 1x PBS. 1x trypsin (0.5g/l) / EDTA (0.2g/l) was used for dissolve the tissue by incubating them at 37°C for 5 min. The reaction was stopped by adding 1 vol. EF medium (Embryonic Feeder medium: 1x DMEM. 10% FCS Serum, 2mM Glutamine, all obtained from LIFE Technologies), and cells were dissolved by pipetting several time up and down. The supernatant was centrifuged with 1000 rpm for 5 min. The fibroblasts from one embryo were seeded into a 175 cm² flask with 30 ml medium. The medium was changed after 24 h. When the fibroblasts form a confluent monolayer they were splitted 1:3, and thereafter they were frozen when the cells are confluent again. Cells from 175 cm² flask were frozen into one tube. Therefore first empty tubes are place on ice, freezing medium is added (EF medium + 20% DMSO (Dimethylsulfoxid)), cells with 0.5 ml EF medium are added, mixed, putted

25 (Dimethylsulfoxid)), cells with 0.5 ml EF medium are added, mixed, putted in a styrofoam box, which is cooled down in a -80°C freezer, and the next day the tubes are transferred into liquid $N_2(1)$ tank.

Sub-culturing, inactivation and feeder layer:

The fibroblasts can be cultured on gelatine-coated plastic ware. The cells were splitted carefully 1:3 after 3 days. When feeder layer are needed for ES cell culturing, the fibroblasts should be division-inactivated by

mitomycin C. 2 mg mitomycin C are dissolved in 10 ml PBS, which can be stored at -20°C. This stock solution is diluted 1:20 with EF medium for inactivation; the nearly confluent fibroblasts in a 175 cm² flask are incubated in 20-30 ml of medium with mitomycin C for 2 h at 37°C.

Mitomycin C is then removed by 2x washing with PBS, and the inactivated fibroblasts are recovered in EF medium for 24 h before they are frozen or used for ES cell culturing after a few days. The cells are stored 37°C until they are used (maximally 10 days;) or they are frozen. For feeder layer, plate cells onto the same area; here the plastic ware has to be coated by gelatine. 10

Sub-culturing the ES-cells:

15

25

The ES cells were kept for 2-4 passages in culture. The medium is ES medium (1x DMEM, 15% FCS Serum, 2mM Glutamine, 1x nonessential amino acids. 7µ1 ß Mercaptoethanol, with supplement containing LIF (Leukemia Inhibitory Factor, 2.5x105 to 106 U/l), all obtained from LIFE Technologies), and the cells are splitted 1:6 every second day. Cells were refeeded 2 h before passaging.

Stable Transfection of ES Cells 20

After digestion of the gene targeting construct the DNA is extracted with phenol/CHCl₃ (24/23) and precipitated with EtOH (wash 2x with 75% EtOH); the rest of EtOH is removed carefully and air dryed for approx. 15 min under steril conditions (laminar flow). The DNA is suspended in H₂O (final conc.: 3 mg/ml). 5×10^7 cells of a monolayer are treated with 1×10^7 to detach them from the ground of the flask, suspended in 0.8 ml medium and electroporated with DNA (30 μ g linear DNA, 800 V, 3 μ F, BioRad Gene Pulser). After 20 min at 4°C, cells are diluted with 9.5 ml medium and are plated onto dishes (9 cm diameter). 24 h after electroporation G418 (150-30 175 mg /ml) is added to start selection. The medium is changed every day;

after 7-9 days of selection colonies can be picked.

Picking colonies and culturing of picked colonies:

24 colonies were picked with Eppendorf tips under an inverted microscope. The colonies were transferred into the wells of a 96-well plate (round bottom), $30~\mu$ l 1xtrypsin/EDTA are added, and the plates are incubated 10 min at 37° C. Thereafter $100~\mu$ l ES-medium are added and the cells are suspended by pipetting up and down 12x with a multichannel pipette. The trypsinized cells are solitarily plated into a 24-well plate. The medium is exchanged every 24 h. 3-4 days after picking the cells are detached from the ground of the plates. Therefore the medium is removed, $60~\mu$ l 10 1xtrypsin/EDTA are added and the plates are incubated for 7 min at 37° C. The treatment is stopped by adding 200 μ l medium and the cells are resuspended. 200 μ l of the cell suspension is added to 200 ml medium with 20 % DMSO and the cells are frozen as described above.

15 Example 3

DNA isolation and southern blot analysis for control and identification of picked colonies:

To characterize the clones, picked in example 2, DNA is isolated from the cells and examined. Therefore 500 μ l medium are added into any well of a picked colony which should still contain 60 μ l cell suspension (see example 2). The cells are cultured continuously 3-4 days until confluent for DNA isolation. 500 μ l lysis buffer (12 ml 1 M Tris-HCl (pH 8.3); 1.2 ml 0.5 M EDTA; 2.4 ml 10 % SDS; 4.8 ml 5 M NaCl; 1.2 ml 10 mg/ml proteinase K; 98.4 ml H₂O) is added, and it is incubated over night at 55°C. DNA is precipitated by adding 1 vol. 2-propanol and at least 15 min shaking at RT, and transferred with an Eppendorf tip into a 1.5 ml tube with 1 ml 70% EtOH. The tube is centrifuged for 10 min at RT to spin down the DNA. EtOH is removed and pellets are air dried for least one hour. DNA

is dissolved afterward in 100 μ l TE for over night at 55°C.

Southern blot analysis:

30

1/3 of the isolated DNA was used for one digestion. The digestion was carried out for over night at 37°C. Loading buffer was added, and DNAs are separated in an agarose gel for least 6 hours. The gels were incubated in 0.2 N HCl for 15 min at room temperature; after 15 min HCl solution was replaced by 0.4 N NaOH and the gel was incubated therein for 15 min at RT. The DNA was transferred onto nylon membranes (Amersham) over night using 0.4 N NaOH as transfer buffer using a vacuum blot machine (Stratagene). The membranes were neutralized in 2x SSC for 1 min, and air dried for least one hour. After UV-Crosslinking the DNA onto the membrane hybridisation with DNA probes (probes are shown in figure 3) was carried out under standard conditions (QuickHyb from Clontech, 65°C, wash twice with 2x SSC, 0.1 % SDS at 65°C).

Production of transgenic animals with mutant parkin allele:

10

15

20

25

30

(homozygote animals).

10-15 recombinant ES cells are injected into blastocyts. The blastocyts are implanted in pseudopregnant mice. The chimeric spring offs are crossed with wild type mice to obtain heterocygotic recombinant F1 mice. These mice are analysed by southern blot analysis as described above. Transgenic mice are crossed with each other to obtain mice with both alleles modified

Descendants of the transgenic animals may be used for breeding with mice strains representing the same or any other genotype, preferred mice strains showing neurological abnormalities, more preferred with strains showing neurodegenerative abnormalities. These other mouse strains may be selected from wild type mice, mice containing knock-ins or knock-outs, mice containing mutants of genes or mice which overexpress any gene product. The most preferred partners for breeding are mice which represent a model for Alzheimer's disease, Huntigton' disease, amyotrophic lateral sclerosis, Multisystem atrophy, Wilson's disease, Pick's disease or Prion disease.

15

20

Use of Transgenic Mice:

The animal can be used to test potential therapeutic agents. The test group of mice is treated with the test compound administered in an appropriate fashion for a set period. At the conclusion of the test period, the animals are assessed behaviourally, biochemically, and histologically for any possible effects of the test compound. The exact protocol depends on the anticipated mechanism of action of the test compound. Compounds that may have utility in treating Parkinson's disease can be identified using this approach.

Such analysis can be carried out in the animal ,in primary tissue cultures of the expressing cells or in immortalised cells derived from those animals.

Mice expressing the truncated parkin2 protein gene or variants of the described one can be used for testing the development of Parkinson's disease during ageing of the animals. Beside the enhanced progression of cell death in substantia nigra area, increased sensitivity to selective neurotoxins like MPTP or 6-hydroxydopamine and enhanced response to dopaminergic precursors like L-dopa may be examined.

Claims

- A polynucleotide sequence encoding a mouse parkin2 protein, containing naturally occurring or artificially introduced mutations or deletions.
 which cause Parkinson's disease in a human if they occur in the according human sequence.
- The sequence of claim 1, wherein the sequence is genomic DNA, coding for a full-length parkin gene or fragments thereof, cDNA of a full length parkin gene or fragments thereof, or RNA of a full length parkin gene or fragments thereof.
- 3. The sequence of claim 1 or 2, wherein the sequence is selected from the group, consisting of SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:7 SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:4, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20 or naturally occurring or artificially introduced mutants or fragments thereof.
- 20 4. A vector, containing any sequence according to any of claims 1 to 3.
 - 5. A prokaryotic or eukaryotic cell, containing a vector according to claim 4.
- 25 6. The cell of claim 5, characterised in that the cell is selected from bacterial or yeast cells, insect cells or mammalian cells as primary cells or immortalised cell lines.
- 7. A parkin mouse protein with an amino acid sequence of SEQ ID NO:5, SEQ ID NO:6 SEQ, ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30. SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34 or

naturally occurring or artificially introduced mutants with a homologous protein sequence or fragments thereof.

- 8. A transgenic non-human animal, whose one or both alleles of a gene encoding a parkin gene are mutated or truncated in a way, that a protein with modified, preferred less activity or no active protein is expressed.
- 9. The transgenic animal of claim 8, wherein the parkin gene has any mutation or deletion which are known to cause Parkinson's disease in a human if they occur in the according human sequence.
- 10. The transgenic non-human animal of claim 8 or 9, carrying a mutation or deletion in one or both alleles of a gene encoding a parkin protein, such that expression of said parkin gene produces a mutated or truncated protein or no protein, which causes said animal to display any physiological, biochemical or molecular biological features of a neurodegenerative disease.
- 20 11. The transgenic non-human animal of claim 10, carrying a deletion in one or both alleles of any of the exons of the gene encoding the parkin protein.
- DNA sequence according to any of the sequences SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:7 SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19 or SEQ ID NO:20.
- 30 13. A mammalian cell-line transformed or transfected with any sequence according to any of claims 1 to 3 or a vector according to claim 4 or

cell lines or primary cultures derived from the transgenic animal of any of claims 8 to 12.

- 14. A method of producing a transgenic animal according to any of claims
 8 to 12 or a cell line according to claim 13.
 - 15. Use of the transgenic non-human animal according to any of claims 8 to 12 or a cell line according to claim 13 as a model for neurodegenerative diseases.

10

16. A method for analyzing the symptoms of neurodegenerative diseases, either outside of a living body using any of the polynucleotide sequences of any of claims 1 to 4, any of the protein sequences of claim 7, or using any model according to claim 15.

15

17. A method for testing the efficacy of a treatment for a neurodegenerative disease associated with a less active or non-active parkin protein, comprising subjecting any model of claim 15 to a putative treatment and determining the efficacy of said treatment.

20

- 18. The method according to claim 16 or 17, wherein said neurodegenerative disease is selected from the group consisting of Parkinson's disease, Alzheimer's disease, Huntigton's disease, amyotrophic lateral sclerosis, Multisystem atrophy, Wilson's disease.
- Pick's disease, Prion disease, or second causes inducing Parkinson's syndromes like toxins, drugs, brain tumors, head trauma, stroke, vascular irregularities, or metabolic irregularities.
- 19. The method of any of claims 17 to 19, wherein said treatment comprises administering an active substance to the model.

20. Use of any model according to claim 15 for testing whether an active substance is useful for treating a condition associated with non-active parkin protein comprising administering said active substance to the transgenic animal of any of claims 8 to 12 or a cell-line of claim 13. and determining a level of the active substance, which causes an effect in treating the disease.

5

15

- 21. Use of the animal according to any of claims 8 to 12 as a model for examination of behaviour during the development of a neurodegenerative disease, or any model according to claim 15 for examination of pathobiochemical, immunobiological, neurological as well as histochemical effects of neurodegenerative diseases, physiological and molecular biological correlation of the disease, for studies of drug effects and for determination of effective drug doses and toxicity.
 - 22. Descendant of the transgenic animal according to any of claims 8 to 12, obtained by breeding with the same or any other genotype.


	00	00 20	00	50 20	00	00 00	00	00	00
200	100	근	00	. 77	നന	സസ	ঝঝ	44	0
GKEI	100 CEREPO SIW.SR	15(YVY(FI.	200 CQSPH	25(PVL)	30 LIKU	35 ORK	40 AAE	45 WNC(50(
50 LRVIFAGKEL	ОС В ИЕ	SIXNSFYVYC PTFI	RMSGEC	250 CTDVRSPVLV	300 GCPNSLIKE	350 LLPEPDQRKV QG	400 YRVDERAĀĒĢ	450 CRLEWCWNCG	• •
LR	AAGGG TSE.	STA		_	AG.		YR	I	: :
40 ADQ	90 NATGGDDPRN SE.QS	140 SPPAGSPAGR .EA.RG.V-K	190 SCWDDVLIPN	240 rcit PA	290 SLPCV	340 LCPRPGCGAG	390 FEASGTTTQA L.P.A.S	440 CMHMKCPQPQ	490
40 AKRQGVPADQ	GGDI	AGS1	נעםמ <i>ו</i> 	TNSRNITCI S.R.S.P.	PQLGYS] A	RPG(SGT'	MKC	• •
	TAN S	SPE FE	SCW.		POI A		표표 다.		
30 TSIFQLKEVV	80 QRPWRKGQEM	130 VILHTDSRKD DKR.	180 20GP	230 ILIA I.T	280 FVHD	330 EECVLQMGGV	380 AYHEGECSAV D.DSL	430 CHVPVEKNGG	480
FOLK	WRKG R. RS	HTDS D	180 QATLTLTQGF	23C ETPVALHLIP D.SNT	280 RLNDRQFVHD	VLQN	田 日 日 D	PVE	• •
TSI	ORP	VIL	QAT 	ETP D.S	RLN		АУН		• •
20 HGFPVEVDSD Y	TDQQSIVHIV E.	120 VLPGDSVGLA TV	170 KLRVQCSTCR	220 KCGAHPTSDK	270 :CVT	320 QYGA	370 CRECKE	420 CPR	470
PVEV	SSIV	gdsv V	VQCS	AHPT	270 LDCFHLYCVT	(Y •	FCRE	IKKTTKP	HWFDV*
HGF	OGI	VLP T	KLR	KCG.	ייי דיםכ	QYNRY(GFAF(IKK	
00 -	TVQNCD	110 SSS H.	160 ORVÕPG HK	210 FFF	260 VIC	310 GEE	360 11GC	410 KET	460 CMGD
MIVFVRFNS	VTVQ Liii	RVDL	CORV.	Z3 TSAEFF .R	26 NSRHVI .H	FRII	GGNGÌ	EAASF E.E	24
MIV	RNDWT P.HL.	SLTRV	KGPC	CPGT	FOCN	гине:	TCEG	ARWEZ	CEWNI
તન	57	100101	151 151	201 201	251 251	301 301	35 35 1	4001 401	451 451
RK2 KK2	RK2 RK2	RK2 RK2	RK2 RK2	RK2 RK2	RK2 RK2	RK2 RK2	RK2 RK2	RK2 RK2	hPARK2 mPARK2
hPARK2 mPARK2	hPARK2 mPARK2	hPARK2 mPARK2	hPARK2 mPARK2	hPARK2 mPARK2	hPARK2 mPARK2	hPARK2 mPARK2	hPARK2 mPARK2	hPARK2 mPARK2	hPA mPA

2a/3

S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100	150Exou1/2	200	250 250	300 Exon 2/3	350 350	400 400	450 450	500	550Exon3/4	009	650 650	700Exon4/5	750Exon5/6	800
CCAGGAGAC- TGAC-, AA	GCCTGTTCCT T.CTC	ո⊱⊢∙	CCAGCATCTT	GCTGACCAGT	GACTGTGCAG	AGAGACCGTG	CCCAGAAACG	GGTGGACCTC AG	TCATTCTGCA	GCAGGTAGAT	TCAAAGAGTG CC.AGC	AGGCAACGCT	ATTCCAAACC	na⊈ -c	
40 ATGACTAA	GCGCGCATGG	TGATAGEGT	GATTCTGACA	4 () · (GGAATGACTG CCCT	# U & C	να: ·<	GCTTGACTCG	GGGCTGGCTG	TGGAAGTCCA CAG	η[· «	ACCIGCAGGC	η Fi 🕟	GCCCTGGGAC	ν Ö ·
30 GGATT	TGGCGCCGCT		AGTGGAGGTC	CTAAGCGACA	AAGGAGCTGA	GAGCATTGTT	ATGCAACTGG	GAGCCCCAGA	o	იც .თ	0 U O		סילום		ACACCCCACC
20 GA GGAAGGGG	AGGCGCGG-C	CGCCACCTAC .ACG.	ATGGTTTCCC	ν⊟ ·ι	TTTCGCAGGG	TGGATCAGCA	CAAGAAATGA TCA.	CTGTGAGCGG	TCCTCCCAGG	AGGAAGGACT .AGT.	CAGCTTTTAT	AACTCAGGGT .GC.A	CAGGGTCCAT	TGAATGCCAA	. O
TCCGGCCT.A.CGAGG	cecreeress	_1 F P . \	AACTCCAGCC	CCAGCTCAAG	TGCGTGTGAT	AATTGTGÄČC	GAGAAAAGGT	CGGCGGGAGG .CT.A.AG	AGCAGCTCAG	CACTGACAGC	CAATCTACAA			GGATGAGTGG	
ਜਜ	51	101	151	201 201	251 251	301	351 351	401	451 451	501	551 551	601 601	651 651	701	751 751
hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2

2b/3

850 850	900 900 Exou6/7	950 950	1000 1000 Exon7/8	1050 1050	1100 Exon8/9	1150 1150	1200	1250 Exon9/10	1300 Exon10/11	1350 1350	1400 1400	1450 Exon11/12	1500 1500	1550 1550	1600 1600
សក្នា 🕡	OK ·L	GACTCAATGA	CCTTGTGTG	CAGGATI	AGGAGTGTG	GGAGCGGGG	GGGCAATGGC	10	ACTCAGGCCT T	n() (⊃U •u	A G	TG.	GCGCCCCATC TT.GTGG	
840 GAACATCACT C.GC	TCCAGTGCAA	# AC · C	CTAC	TÇ.	TATGGTGCAG	CCCTGGCTGT TT	CCTGCGAAGG	* C. · (AGGAACAACT	CICGITGGGA	TGTCCCCGCT	GAAGTGTCCG	7 0 .u	GGGCGGCCGG .A.AT.T.AC	۱6-
CAAATAGTC GCCG.	GICCIGGITT	CCACTTAT		ATTAAAĞ	TACCAĞÖ 	rargcccc G;;	AGGAAAGTCA	CTGCCGGGAA	TIGAAGCCIC .CC.:	A A	უ Ŭ .∢) द ं• a	0 0 1 1	CGTGTAGCCA) 4
820 CTGATCGCAA	CAGGAGCC	TAGAC .G	GTTCACGACC (CAACT	AGTACAACCG	GGGGGCGTGT	GCCTGACCAG A.AG.G	GGTTTGCCTT	AGTGC GACT.	TGAAAGAGC CA;;;	TCAAGAAAA G.		₽4 7.0 7.0 7.0	S E C	10A
- A	GCACAGACGT	GTGATTTGCT	TCGGCAGITI	Creecrerce 	GGAGAAGAGC	CCTGCAGATG GA	TGCTGCCGGA	CIGGGCTGTG	AGGGGAGTGC	ACAGAGTCGA	AAAGAAACCA	AGTGGAAAA	GCAGGCTCGA	ATGGGGGACCA.T.	GC-CACATCC A.GA
801	851 851	901	951 951	1001	1051	1101	1151	1201	1251 1251	1301	1351 1351	1401	1451 1451	1501	1551
hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2	hPARK2 mPark2



SEQUENZPROTOKOLL

<110> Firma Biofrontera GmbH <120> Transgenic animal model for neurodegenerative diseases <130> 5807EPAlleSequenzen <140> <141> <160> 34 <170> PatentIn Ver. 2.1 <210> 1 <211> 3255 <212> DNA <213> mouse <400> 1 ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt gecegegtag gteetteteg accegeagee accaecegee 120 eggtgaceat gatagtgttt gteaggttea actecageta tggetteeca gtggaggteg 180 attetgaeae cageatettg cageteaagg aagtggttge taagegaeag ggggtteeag 240 ctgaccaget gegtgtgatt tttgeeggga aggagettee gaatcacetg aeggtteaaa 300 actgtgacct ggaacaacag agtattgtac acatagtaca gagaccacgg aggagaagtc 360 atgaaacaaa tgcatctgga ggggacgaac cccagagcac ctcagagggc tccatatggg 420 agtecaggag ettgacacga gtggacetga geagecatae eetgeeggtg gaetetgtgg 480 ggctggcggt cattctggac acagacagta agagggattc agaagcagcc agaggtccag 540 ttaaacccac ctacaacage tttttcatct actgcaaagg cccctgccac aaggtccage 600 etggaaaget eegagtteag tgtggeacet geaaacaage aaceeteace ttggeecagg 660 gcccatcttg ctgggacgat gtcttaattc caaaccggat gagtggtgag tgccagtctc 720 cagactgccc tggaaccaga gctgaatttt tctttaaatg tggagcacac ccaacctcag 780 acaaggacac gteggtaget ttgaacetga teaccageaa caggegeage atecettgea 840 tagegtgeae agatgteagg agecetgtee tggtetteea gtgtaaceae egteaegtga 900 tetgtttgga etgttteeae ttgtattgtg teacaagaet caacgategg eagtttgtee 960 acgatgetea aettggetae teeetgeegt gtgtagetgg etgteecaae teeetgatta 1020 aagageteea teaetteagg ateettggag aagageagta caetaggtae cageagtatg 1080 gggccgagga atgcgtgctg caaatgggag gtgtgctgtg cccccgtcct ggctgtggag 1140 ctggactgct acctgaacag ggccagagga aagtcacctg cgaagggggc aacggcctgg 1200 gctgcgggtt tgttttctgc cgggactgta aggaagcata ccatgaaggg gattgcgact 1260 cactgetega acceteagga gecaettete aggeetacag ggtggacaaa agageegetg 1320 agcaageteg etgggaggag geetecaagg aaaccateaa gaagaceace aageettgte 1380 ctcgctgcaa cgtgccaatt gaaaaaacg gaggatgtat gcacatgaag tgtcctcagc 1440 cccagtgcaa getggagtgg tgctggaact gtggctgtga gtggaaccga gcctgcatgg 1500 gagateactg gtttgacgtg tagagagag tgtcacttgg ccctggacgc acaacctcaa 1560

gggaaactcc gaagattcct accttcctta gccatttctt cttctcgatg catataagca 1620



cataaatgcg cacacacaaa cacaggctgc agattacaga agcagcccct agatcctttc 1680 tagggcaccc acagaaaacc acagcacccg ctggccccag ggggaggagg cactttcagc 1740 ctctggctca ctcgaatgtc agagcttaga tgagggtgca cctttggttt ggattctgta 1800 gaagccatga gtgaggtggg aagtgttttc cagggttgtt gccacgccct gggtaagtaa 1860 cacctetgag gatteteaga ageacaettg agatetgagg aacgetgete teatgtagta 1920 atcatctatt cccaaagggc cccctgcagt agtcaaaact atttgtttat ccccccaaat 1980 cctatcttta caaatggtgc tgatgagatt acaacccctc tgtgtactaa tcagcttatc 2040 aaccaagtga gaacctagga aagctaattg gatggcagac tgcttaaatc gcagggagga 2100 ctcagaagcc aaacctactt ccgttcgttt cattatctgc aactttagaa agaaatgatc 2160 tttttttccc cctgaaaaga taacaaagtc tgcaatttgg tttggagtat tcctactgca 2220 geetggaagt ttagetteae tgtgaattta acagagaaag tgeetataaa gggggegttt 2280 ttaagagaca atcccatgat gctgcgccaa tgctaacaac agggtcaaga aacacaatgt 2340 ttatagaagg agcatccctc gaccatctga atgagagtat gcctgacccc ttccaccaca 2400 agtggggaca cctctgcata tctgctccct cctctgctgt taagccccag ggagccccat 2460 ccacccagtg gtcctacaga cagggcaata cacacaccc aagatagcct tcagatcaac 2520 atgcatcaca ctcaagtgtt aatctttcaa ggttttcttt tcttttcct gttttttatt 2580 tgttttgctt ttgctttttt tttttttt tttggtggtg gtggggctac caaacttgag 2640 geetagaget aaaaateata tagaaatgat gttatettgt ggtgtgagga aaggeeaget 2700 ggcctaagtt cacacttttg teccagtgge cetagaetee acceagecag eteccaaaat 2760 gaaaagacca cctgtcaagc agcagtcagg agtctgatgt cacccatcac tattttttt 2820 ccatcattgt gettgeetet geeteettee acaccegtgt gaegtaateg cattgggaag 2880 ccaggacaat gtttgctgtt ctgctttggg taaagggact ccctgaagct ctgtggctct 2940 ccagtatggt cccttttcct tcctaacaga tgcatatgtt ttcttcagaa tacaatagtg 3000 attettaaaa taacecaaaa gacaggeate cacagtgtgt gagcatgaat cacageetge 3060 attgtgtgag tgtgaatagt gggataaaag tggatgtcag aagagtggaa atcaaacctc 3120 tgcaaagcaa tetttetett tetgtgaagt gtattaagaa atacetgaag tetgtgtgtg 3180 aaaaaaaaa aaaaa 3255

<210> 2

<211> 1459

<212> DNA

<213> mouse

<400> 2

acacqtcqqt agctttqaac ctgatcacca gcaacaqqcq cagcatcct tqcataqcqt 840 gcacaqatqt cagtcatctt cctctqtcat ctgqtqcctc cqtqtqqact cqgcctcatc 900 tccactqaac cttqttcttt aggactqtqc aataqqtcqt cacctcctac tqaqaacaaq 960 gcaqcttctq qtctcttqqt ttccttqctt ccaacqqcaq cattqactqt acaccettca 1020 gtcctaccaa ccccattacc tqqttqattt ctttaccqct tagcttctcc aaqatqccta 1080 tttccacaca cagtttcttq tcttcccat cccccataq gtttatqcqc atqaqtaaqc 1140 accqcacct atqaqttqt gcttctqata caaqacttcc tqqqatcccc gcttqaqccc 1200 tagaatcccc tqqaactqqq ttcaqtcacc tatcttcaat agcctcttt aaaaqqtqaqt 1260 tcttqqqqq gtqaqatqqc tcaqqqqq acqqcccq actqctcttc cqaaqqtcaqq 1320 agttcaaaat cccaqcaacc acatqqqqq tcacaaccat ccqtaacaaq atctqactcc 1380 ctcttctqqt qtqtctqaaq acaqctacaq tqtacttaca taaaataata aataatctt 1440 aaaaaaaaa aaaaaaaa aaaaaaaa

<210> 3 <211> 857

<212> DNA

<213> mouse

<400> 3

ctcagatgac taaacctgac agaaacgctg gtgggaggct cgggcgggcg ccagtgcccg 60 cgtaggtect tetegaceeg cagecaceae cegeceggtg accatgatag tgtttgteag 120 gttcaactcc agctatggct tcccagtgga ggtcgattct gacaccagca tcttgcagct 180 caaggaagtg gttgctaagc gacagggggt tccagctgac cagctgcgtg tgatttttgc 240 cgggaaggag cttccgaatc acctgacggt tcaaaactgt gacctggaac aacagagtat 300 tgtacacata gtacagagac cacggaggag aagtcatgaa acaaatgcat ctggagggga 360 cgaaccccag agcacctcag agggctccat atgggagtcc aggagcttga cacgagtgga 420 cetgageage cataccetge eggtggaete tgtggggetg geggteatte tggaeacaga 480 cagtaagagg gattcagaag cagccagagg tccagcagtt aaacccacct acaacagctt 540 tttcatctac tgcaaaggcc cctgccacaa ggtccagcct ggaaagctcc gagttcagtg 600 tggcacctgc aaacaagcaa ccctcacctt ggcccagggc ccatcttgct gggacgatgt 660 cttaattcca aaccggatga gtggtgagtg ccagtctcca gactgccctg gaaccagage 720 tgaatttttc tttaaatgtg gagcacaccc aacctcagac aaggacacgt cggtagcttt 780 gaacctgatc accagcaaca ggcgcagcat cccttgcata gcgtgcacag atgtcaggtt 840 tatgcgcatg agttagc 857

<210> 4

<211> 464

<212> PRT

<213> mouse

<400> 4

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys

35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile
85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu
100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Val Lys Pro Thr Tyr Asn Ser 130 135 140

Phe Phe Ile Tyr Cys Lys Gly Pro Cys His Lys Val Gln Pro Gly Lys
145 150 155 160

Leu Arg Val Gln Cys Gly Thr Cys Lys Gln Ala Thr Leu Thr Leu Ala 165 170 175

Gln Gly Pro Ser Cys Trp Asp Asp Val Leu Ile Pro Asn Arg Met Ser 180 185 190

Gly Glu Cys Gln Ser Pro Asp Cys Pro Gly Thr Arg Ala Glu Phe Phe 195 200 205

Phe Lys Cys Gly Ala His Pro Thr Ser Asp Lys Asp Thr Ser Val Ala 210 215 220

Leu Asn Leu Ile Thr Ser Asn Arg Arg Ser Ile Pro Cys Ile Ala Cys
225 230 230 240

Thr Asp Val Arg Ser Pro Val Leu Val Phe Gln Cys Asn His Arg His
245 250 255

Val Ile Cys Leu Asp Cys Phe His Leu Tyr Cys Val Thr Arg Leu Asn 260 265 270

Asp Arg Gln Phe Val His Asp Ala Gln Leu Gly Tyr Ser Leu Pro Cys
275
280
285

Val Ala Gly Cys Pro Asn Ser Leu Ile Lys Glu Leu His His Phe Arg

290 295 300

Ile Leu Gly Glu Glu Gln Tyr Thr Arg Tyr Gln Gln Tyr Gly Ala Glu
305 310 315 320

Glu Cys Val Leu Gln Met Gly Gly Val Leu Cys Pro Arg Pro Gly Cys 325 330 335

Gly Ala Gly Leu Leu Pro Glu Gln Gly Gln Arg Lys Val Thr Cys Glu 340 345 350

Gly Gly Asn Gly Leu Gly Cys Gly Phe Val Phe Cys Arg Asp Cys Lys
355 360 365

Glu Ala Tyr His Glu Gly Asp Cys Asp Ser Leu Leu Glu Pro Ser Gly 370 375 380

Ala Thr Ser Gln Ala Tyr Arg Val Asp Lys Arg Ala Ala Glu Gln Ala 385 390 395 400

Arg Trp Glu Glu Ala Ser Lys Glu Thr Ile Lys Lys Thr Thr Lys Pro 405 410 415

Cys Pro Arg Cys Asn Val Pro Ile Glu Lys Asn Gly Gly Cys Met His
420 425 430

Met Lys Cys Pro Gln Pro Gln Cys Lys Leu Glu Trp Cys Trp Asn Cys
435

Gly Cys Glu Trp Asn Arg Ala Cys Met Gly Asp His Trp Phe Asp Val 450 455 460

<210> 5

<211> 262

<212> PRT

<213> mouse

<400> 5

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile 85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu
100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Ala Val Lys Pro Thr Tyr Asn 130 135 140

Ser Phe Phe Ile Tyr Cys Lys Gly Pro Cys His Lys Val Gln Pro Gly 145 150 155 160

Lys Leu Arg Val Gln Cys Gly Thr Cys Lys Gln Ala Thr Leu Thr Leu 165 170 175

Ala Gln Gly Pro Ser Cys Trp Asp Asp Val Leu Ile Pro Asn Arg Met
180 185 190

Ser Gly Glu Cys Gln Ser Pro Asp Cys Pro Gly Thr Arg Ala Glu Phe 195 200 205

Phe Phe Lys Cys Gly Ala His Pro Thr Ser Asp Lys Asp Thr Ser Val 210 215 220

Ala Leu Asn Leu Ile Thr Ser Asn Arg Arg Ser Ile Pro Cys Ile Ala 225 230 235 240

Cys Thr Asp Val Ser His Leu Pro Leu Ser Ser Gly Ala Ser Val Trp
245 250 255

Thr Arg Pro His Leu His 260

<210> 6 <211> 250

<212> PRT <213> mouse

<400> 6

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln
50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile
85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu
100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Ala Val Lys Pro Thr Tyr Asn 130 135 140

Ser Phe Phe Ile Tyr Cys Lys Gly Pro Cys His Lys Val Gln Pro Gly 145 150 155 160

Lys Leu Arg Val Gln Cys Gly Thr Cys Lys Gln Ala Thr Leu Thr Leu 165 170 175

Ala Gln Gly Pro Ser Cys Trp Asp Asp Val Leu Ile Pro Asn Arg Met
180 185 190

Ser Gly Glu Cys Gln Ser Pro Asp Cys Pro Gly Thr Arg Ala Glu Phe 195 200 205

Phe Phe Lys Cys Gly Ala His Pro Thr Ser Asp Lys Asp Thr Ser Val 210 215 220

Ala Leu Asn Leu Ile Thr Ser Asn Arg Arg Ser Ile Pro Cys Ile Ala 225 230 235 240 Cys Thr Asp Val Arg Phe Met Arg Met Ser 245 250

<210> 7

<211> 3014

<212> DNA

<213> mouse

<400> 7

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaecegee 120 eggtgaccat gatagtgttt gteaggttea acteeageta tggetteeca gtggaggteg 180 attetgacae cageatettg cageteaagg aagtggttge taagegacag ggggttecag 240 ctgaccaget gegtgtgatt tttgeeggga aggagettee gaateacetg aeggtteaat 300 taaacccacc tacaacaget ttttcatcta etgcaaagge ceetgecaca aggtecagee 360 tggaaagete egagtteagt gtggeaeetg caaacaagea acceteaeet tggeeeaggg 420 cccatcttgc tgggacgatg tcttaattcc aaaccggatg agtggtgagt gccagtctcc 480 agactgccct ggaaccagag ctgaattttt ctttaaatgt ggagcacacc caacctcaga 540 caaggacacg teggtagett tgaacetgat caccageaac aggegeagea teeettgeat 600 agegtgeaca gatgteagga gecetgteet ggtetteeag tgtaaceace gteaegtgat 660 ctgtttggac tgtttccact tgtattgtgt cacaagactc aacgatcggc agtttgtcca 720 egatgeteaa ettggetaet ecetgeegtg tgtagetgge tgteceaaet ecetgattaa 780 agageteeat eactteagga teettggaga agageagtae aetaggtaee ageagtatgg 840 tggactgcta cctgaacagg gccagaggaa agtcacctgc gaagggggca acggcctggg 960 ctgcgggttt gttttctgcc gggactgtaa ggaagcatac catgaagggg attgcgactc 1020 actgctcgaa ccctcaggag ccacttctca ggcctacagg gtggacaaaa gagccgctga 1080 gcaagetege tgggaggagg cetecaagga aaccateaag aagaceacea ageettgtee 1140 tegetgeaac gtgecaattg aaaaaacgg aggatgtatg cacatgaagt gtcctcagcc 1200 ccagtgcaag ctggagtggt gctggaactg tggctgtgag tggaaccgag cctgcatggg 1260 agateactgg tttgacgtgt agagagagat gteacttgge cetggacgea caaceteaag 1320 ggaaacteeg aagatteeta eetteettag eeatttette ttetegatge atataageae 1380 ataaatgogo acacacaaac acaggotgoa gattacagaa goagoocota gatootttot 1440 agggcaccca cagaaaacca cagcacccgc tggccccagg gggaggaggc actttcagcc 1500 totggotcac togaatgtca gagottagat gagggtgcac otttggtttg gattotgtag 1560 aagccatgag tgaggtggga agtgttttcc agggttgttg ccacgccctg ggtaagtaac 1620 acctctgagg attctcagaa gcacacttga gatctgagga acgctgctct catgtagtaa 1680 teatetatte ceaaagggee ceetgeagta gteaaaacta tttgtttate ecceeaate 1740 ctatetttae aaatggtget gatgagatta eaacceetet gtgtactaat eagettatea 1800 accaagtgag aacctaggaa agctaattgg atggcagact gcttaaatcg cagggaggac 1860 tcagaageca aacetaette egttegttte attatetgea aetttagaaa gaaatgatet 1920 ttttttcccc ctgaaaagat aacaaagtct gcaatttggt ttggagtatt cctactgcag 1980 cctggaagtt tagcttcact gtgaatttaa cagagaaagt gcctataaag ggggcgtttt 2040 taagagacaa toocatgatg otgogocaat gotaacaaca gggtcaagaa acacaatgtt 2100 tatagaagga gcatccctcg accatctgaa tgagagtatg cctgacccct tccaccacaa 2160 gtggggacac ctctgcatat ctgctccctc ctctgctgtt aagccccagg gagccccatc 2220

8




tgcatcacac tcaagtgtta atctttcaag gttttctttt cttttcctg tttttattt 2340 gttttgcttt tgctttttt ttttttttt ttggtggtgg tggggctacc aaacttgagg 2400 cctagagcta aaaatcatat agaaatgatg ttatcttgt gtgtgaggaa aggccagctg 2460 gcctaagttc acacttttgt cccagtggcc ctagactcca cccagcagc tcccaanatg 2520 aaaagaccac ctgtcaagca gcagtcagga gtctgatgtc acccatcact attttttc 2580 catcattgtg cttgcctctg cctccttcca caccegtgtg acgtaatege attgggaagc 2640 caggacaatg tttgctgttc tgctttgggt aaagggactc cctgaagctc tgtgggaagc 2640 caggacaatg tttgctgttc tgctttgggt aaagggactc cctgaagctc tgtggctctc 2700 cagtatggtc cctttcctt cctaacagat gcatatgtt tcttcagaat acaatagtga 2760 ttcttaaaat aacccaaaag acaggcatcc acagtgtgtg agcatgaatc acagcctgca 2820 ttgtgtgagt gtgaatagtg ggataaaagt ggatgtcaga agagtggaaa tcaaacctct 2880 gcaaaagcaat ctttcttt ctgtgaagtg tattaagaaa tacctgaagt ctgtgtgtgt 2940 ggtggtaccc agactgtcaa tcaataaaga cccagactgt caatgaaaa aaaaaaaaa 3000 aaaaaaaaaa aaaa

<210> 8 <211> 2895 <212> DNA <213> mouse

<400> 8

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaecegee 120 eggtgaccat gatagtgttt gteaggttea acteeageta tggetteeea gtggaggteg 180 attetgacae cageatettg cageteaagg aagtggttge taagegacag ggggttecag 240 ctgaccaget gegtgtgatt tttgeeggga aggagettee gaateacetg aeggtteaag 300 gcccatcttg ctgggacgat gtcttaattc caaaccggat gagtggtgag tgccagtctc 360 cagactgccc tggaaccaga gctgaatttt tctttaaatg tggagcacac ccaacctcag 420 acaaggacac gtcggtagct ttgaacctga tcaccagcaa caggcgcagc atcccttgca 480 tagegtgeae agatgteagg agecetgtee tggtetteea gtgtaaceae egteaegtga 540 tetgtttgga etgttteeae ttgtattgtg teacaagaet caacgategg eagtttgtee 600 acgatgetea acttggetae teectgeegt gtgtagetgg etgteecaae teectgatta 660 aagageteea teaetteagg ateettggag aagageagta caetaggtae cageagtatg 720 gggccgagga atgcgtgctg caaatgggag gtgtgctgtg cccccgtcct ggctgtggag 780 ctggactgct acctgaacag ggccagagga aagtcacctg cgaagggggc aacggcctgg 840 getgegggtt tgttttetge egggaetgta aggaageata eeatgaaggg gattgegaet 900 cactgotoga accotoagga gocacttoto aggootacag ggtggacaaa agagoogotg 960 agcaageteg etgggaggag geetecaagg aaaceateaa gaagaceace aagcettgte 1020 ctcgctgcaa cgtgccaatt gaaaaaacg gaggatgtat gcacatgaag tgtcctcagc 1080 cccagtgcaa gctggagtgg tgctggaact gtggctgtga gtggaaccga gcctgcatgg 1140 gagateactg gtttgacgtg tagagagag tgtcacttgg ccctggacgc acaacctcaa 1200 gggaaactcc gaagattcct accttcctta gccatttctt cttctcgatg catataagca 1260 cataaatgcg cacacacaaa cacaggctgc agattacaga agcagcccct agatcctttc 1320 tagggcaccc acagaaaacc acagcacccg ctggccccag ggggaggagg cactttcagc 1380 ctctggctca ctcgaatgtc agagcttaga tgagggtgca cctttggttt ggattctgta 1440 gaagecatga gtgaggtggg aagtgtttte cagggttgtt gecaegeeet gggtaagtaa 1500 cacctetgag gatteteaga ageacaettg agatetgagg aacgetgete teatgtagta 1560 atcatctatt cccaaagggc cccctgcagt agtcaaaact atttgtttat ccccccaaat 1620

9




<210> 9 <211> 2558 <212> DNA

<213> mouse

<400> 9

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaceegee 120 eggtgaccat gatagtgttt gtcaggttca actocageta tggettecca gtggaggteg 180 attotgacae cageatettg cageteaagg aagtggttge taagegacag ggggttecag 240 ctgaccaget gegtgtgatt tttgeeggga aggagettee gaateacetg aeggtteaae 300 tggctgtccc aactccctga ttamagagct ccatcacttc aggatccttg gagmagagca 360 gtacactagg taccagcagt atggggccga ggaatgcgtg ctgcaaatgg gaggtgtgct 420 gtgcccccgt cctggctgtg gagctggact gctacctgaa cagggccaga ggaaagtcac 480 ctgcgaaggg ggcaacggcc tgggctgcgg gtttgttttc tgccgggact gtaaggaagc 540 ataccatgaa ggggattgcg actcactgct cgaaccctca ggagccactt ctcaggccta 600 cagggtggac aaaagagccg ctgagcaagc tcgctgggag gaggcctcca aggaaaccat 660 caagaagacc accaagcett gteetegetg caaegtgeca attgaaaaaa acggaggatg 720 tatgcacatg aagtgtcctc agccccagtg caagctggag tggtgctgga actgtggctg 780 tgagtggaac cgagcctgca tgggagatca ctggtttgac gtgtagagag agatgtcact 840 tggccctgga cgcacaacct caagggaaac tccgaagatt cctaccttcc ttagccattt 900 cttcttctcg atgcatataa gcacataaat gcgcacacac aaacacaggc tgcagattac 960 agaagcagce cetagateet ttetagggea eccaeagaaa accaeageae eegetggeee 1020 cagggggagg aggeacttte agectetgge teactegaat gteagagett agatgagggt 1080 gcacctttgg tttggattct gtagaagcca tgagtgaggt gggaagtgtt ttccagggtt 1140



<210> 10


<211> 3136

<212> DNA

<213> mouse

<400> 10

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt gecegegtag gteetteteg accegeagee accaecegee 120 cggtgaccat gatagtgttt gtcaggttca actccagcta tggcttccca gtggaggtcg 180 attetgacae cageatettg cageteaagg aagtggttge taagegacag ggggttecag 240 ctgaccaget gegtgtgatt tttgeeggga aggagettee gaatcacetg aeggtteaaa 300 actgtgacct ggaacaacag agtattgtac acatagtaca gagaccacgg aggagaagtc 360 atgaaacaaa tgcatctgga ggggacgaac cccagagcac ctcagagggc tccatatggg 420 agtocaggag ottgacacga gtggacotga gcagocatac cotgooggtg gactotgtgg 480 ggetggeggt cattetggae acagaeagta agagggatte agaageagee agaggteeag 540 ggcccatctt gctgggacga tgtcttaatt ccaaaccgga tgagtggtga gtgccagtct 600 ccagactgcc ctggaaccag agctgaattt ttctttaaat gtggagcaca cccaacctca 660 gacaaggaca cgtcggtage tttgaacctg atcaccagca acaggcgcag catcccttgc 720 atagegtgea cagatgteag gagecetgte etggtettee agtgtaacea eegteacgtg 780 atctgtttgg actgtttcca cttgtattgt gtcacaagac tcaacgatcg gcagtttgtc 840 cacgatgete aacttggeta etecetgeeg tgtgtagetg getgteecaa etecetgatt 900 aaagagetee ateaetteag gateettgga gaagageagt acaetaggta ceageagtat 960 ggggccgagg aatgcgtgct gcaaatggga ggtgtgctgt gcccccgtcc tggctgtgga 1020



<210> 11

<211> 3170

<212> DNA

<213> mouse

<400> 11

ctcagcgagg ggaagggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggctcgggc gggcgccagt gcccgcgtag gtccttctcg acccgcagcc accaccegcc 120 cggtgaccat gatagtgttt gtcaggttca actccagcta tggcttccca gtggaggtcg 180 attctgacac cagcatcttg cagctcaagg aagtggttgc taagcgacag ggggttccag 240 ctgaccagct gcgtgtgatt tttgccggga aggagcttcc gaatcacctg acggttcaaa 300 actgtgacct ggaacaacag agtattgtac acatagtaca gagaccacgg aggagaagtc 360 atgaaacaaa tgcatctgga ggggacgaac cccagagcac ctcagagggc tccatatggg 420 agtocaggag ottgacacga gtggacotga gcagocatac cotgooggtg gactotgtgg 480 ggetggeggt cattetggae acagacagta agagggatte agaageagee agaggteeag 540 ttaaacccac ctacaacage tttttcatct actgcaaagg cccctgccac aaggtccage 600 ctggaaaget cegagtteag tgtggeacet geaaacaage aacceteace ttggeecaga 660 atttttcttt aaatgtggag cacacccaac ctcagacaag gacacgtcgg tagctttgaa 720 cctgatcacc agcaacagge geageatece ttgcatageg tgcacagatg teaggagece 780 tgtcctggtc ttccagtgta accaccgtca cgtgatctgt ttggactgtt tccacttgta 840 ttgtgtcaca agactcaacg atcggcagtt tgtccacgat gctcaacttg gctactccct 900 geogtgtgta getggetgte ceaacteect gattaaagag etecateact teaggateet 960 tggagaagag cagtacacta ggtaccagca gtatggggcc gaggaatgcg tgctgcaaat 1020 gggaggtgtg ctgtgccccc gtcctggctg tggagctgga ctgctacctg aacagggcca 1080 gaggaaagte acctgcgaag ggggcaacgg cctgggctgc gggtttgttt tctgccggga 1140 ctgtaaggaa gcataccatg aaggggattg cgactcactg ctcgaaccct caggagccac 1200 ttctcaggcc tacagggtgg acaaaagagc cgctgagcaa gctcgctggg aggaggcctc 1260 caaggaaacc atcaagaaga ccaccaagec ttgteetege tgeaacgtge caattgaaaa 1320 aaacggagga tgtatgcaca tgaagtgtcc tcagccccag tgcaagctgg agtggtgctg 1380 gaactgtggc tgtgagtgga accgagcctg catgggagat cactggtttg acgtgtagag 1440 agagatgtca cttggccctg gacgcacaac ctcaagggaa actccgaaga ttcctacctt 1500 ccttagccat ttcttcttct cgatgcatat aagcacataa atgcgcacac acaaacacag 1560 getgeagatt acagaageag eccetagate etttetaggg cacceacaga aaaccacage 1620 accegetgge eccaggggga ggaggeactt teageetetg geteactega atgteagage 1680 ttagatgagg gtgcaccttt ggtttggatt ctgtagaagc catgagtgag gtgggaagtg 1740 ttttccaggg ttgttgccac gccctgggta agtaacacct ctgaggattc tcagaagcac 1800 acttgagate tgaggaacge tgeteteatg tagtaateat etatteecaa agggeeceet 1860 gragtagtra aaactattig titatreece caaateetat etitaraaat ggigeigatg 1920 agattacaac ccctctgtgt actaatcagc ttatcaacca agtgagaacc taggaaagct 1980 aattggatgg cagactgctt aaatcgcagg gaggactcag aagccaaacc tacttccgtt 2040 cgtttcatta tctgcaactt tagaaagaaa tgatcttttt ttccccctga aaagataaca 2100 aagtotgoaa titggittigg agtattoota otgoagootg gaagtitago ticactgiga 2160 atttaacaga gaaagtgeet ataaaggggg egtttttaag agacaateee atgatgetge 2220 gccaatgcta acaacagggt caagaaacac aatgtttata gaaggagcat ccctcgacca 2280 totgaatgag agtatgootg accopticea coacaagtgg ggacacetet gcatatetge 2340 tecetectet getgttaage eecagggage eecatecace eagtggteet acagacaggg 2400 caatacacac acaccaagat agecttcaga tcaacatgca tcacactcaa gtgttaatct 2460 ttcaaggttt tottttottt ttoctgtttt ttatttgttt tgcttttgct ttttttttt 2520 ttttttttgg tggtggtggg gctaccaaac ttgaggccta gagctaaaaa tcatatagaa 2580 atgatgttat cttgtggtgt gaggaaaggc cagctggcct aagttcacac ttttgtccca 2640 gtggccctag actccaccca gccagctccc aaaatgaaaa gaccacctgt caagcagcag 2700 traggagtet gatgtracce attactattt tttttccate attgtgcttg cetetgeete 2760 cttccacacc cgtgtgacgt aatcgcattg ggaagccagg acaatgtttg ctgttctgct 2820 ttgggtaaag ggactccctg aagctctgtg gctctccagt atggtccctt ttccttccta 2880 acagatgcat atgttttctt cagaatacaa tagtgattct taaaataacc caaaagacag 2940 gcatccacag tgtgtgagca tgaatcacag cctgcattgt gtgagtgtga atagtgggat 3000 aaaagtggat gtcagaagag tggaaatcaa acctctgcaa agcaatcttt ctctttctgt 3060 gaagtgtatt aagaaatacc tgaagtctgt gtgtgtggtg gtacccagac tgtcaatcaa 3120 3170

<210> 12 <211> 2918 <212> DNA

<213> mouse

<400> 12

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaeeegee 120 eggtgaceat gatagtgttt gteaggttea actecageta tggetteeca gtggaggteg 180 attetgacae cageatettg cageteaagg aagtggttge taagegacag ggggttecag 240 ctgaccaget gegtgtgatt tttgeeggga aggagettee gaateacetg aeggtteaaa 300 actgtgacct ggaacaacag agtattgtac acatagtaca gagaccacgg aggagaagtc 360 atgaaacaaa tgcatctgga ggggacgaac cccagagcac ctcagagggc tccatatggg 420 agtecaggag ettgacaega gtggacetga geagecatae eetgeeggtg gaetetgtgg 480 ggctggcggt cattctggac acagacagta agagggattc agaagcagcc agaggtccag 540 ttaaacccac ctacaacage tttttcatct actgcaaagg cccctgccac aaggtccage 600 ctggaaagct ccgagttcag tgtggcacct gcaaacaagc aaccctcacc ttggcccagc 660 tggctgtccc aactccctga ttaaagagct ccatcacttc aggatccttg gagaagagca 720 gtacactagg taccagcagt atggggccga ggaatgcgtg ctgcaaatgg gaggtgtgct 780 gtgcccccgt cctggctgtg gagctggact gctacctgaa cagggccaga ggaaagtcac 840 ctgcgaaggg ggcaacggcc tgggctgcgg gtttgttttc tgccgggact gtaaggaagc 900 ataccatgaa ggggattgcg acteactgct egaaccetca ggagecaett etcaggeeta 960 cagggtggac aaaagagccg ctgagcaagc tcgctgggag gaggcctcca aggaaaccat 1020 caagaagacc accaagcett gteetegetg caacgtgeca attgaaaaaa acggaggatg 1080 tatgcacatg aagtgtcctc agccccagtg caagctggag tggtgctgga actgtggctg 1140 tgagtggaac cgagcctgca tgggagatca ctggtttgac gtgtagagag agatgtcact 1200 tggccctgga cgcacaacet caagggaaac tccgaagatt cctaccttcc ttagccattt 1260 ettetteteg atgeatataa geacataaat gegeacacae aaacacagge tgeagattae 1320 agaagcagee eetagateet ttetagggea eecacagaaa accacageae eegetggeee 1380 cagggggagg aggcactttc agcctctggc tcactcgaat gtcagagctt agatgagggt 1440 gcacctttgg tttggattct gtagaagcca tgagtgaggt gggaagtgtt ttccagggtt 1500 gttgccacge cctgggtaag taacacetet gaggattete agaagcacae ttgagatetg 1560 aggaacgetg eteteatgta gtaateatet atteecaaag ggeeecetge agtagteaaa 1620 actatttgtt tatcccccca aatcctatct ttacaaatgg tgctgatgag attacaaccc 1680 ctctgtgtac taatcagctt atcaaccaag tgagaaccta ggaaagctaa ttggatggca 1740 gactgettaa ategeaggga ggaeteagaa geeaaaceta etteegtteg titeattate 1800 tgcaacttta gaaagaaatg atctttttt ccccctgaaa agataacaaa gtctgcaatt 1860 tggtttggag tattectact geageetgga agtttagett eactgtgaat ttaacagaga 1920 aagtgeetat aaagggggeg tttttaagag acaateeeat gatgetgege caatgetaae 1980 aacagggtca agaaacacaa tgtttataga aggagcatcc ctcgaccatc tgaatgagag 2040 tatgeetgae ecetteeace acaagtgggg acacetetge atatetgete ecteetetge 2100 tgttaageee cagggageee catecaceea gtggteetae agacagggea atacacacae 2160 accaagatag cottoagato aacatgoato acactoaagt gttaatottt caaggtttto 2220 ttttcttttt cctgtttttt atttgttttg cttttgcttt ttttttttt ttttttggtg 2280 gtggtggggc taccaaactt gaggcctaga gctaaaaatc atatagaaat gatgttatct 2340 tgtggtgtga ggaaaggcca gctggcctaa gttcacactt ttgtcccagt ggccctagac 2400 tccacccage cageteccaa aatgaaaaga ccacetgtea ageageagte aggagtetga 2460

tgtcacccat cactatttt tttccatcat tgtgcttgcc tctgcctcct tccacacccg 2520 tgtgacgtaa tcgcattggg aagccaggac aatgtttgct gttctgcttt gggtaaaggg 2580 actccctgaa gctctgtggc tctccagtat ggtccctttt ccttcctaac agatgcatat 2640 gttttcttca gaatacaata gtgattctta aaataaccca aaagacaggc atccacagtg 2700 tgtgaggcatg aatcacagcc tgcattgtgt gagtgtgaat agtggataa aagtggatgt 2760 cagaagagtg gaaatcaaac ctctgcaaag caatctttct ctttctgtga agtgtattaa 2820 gaaatacctg aagtctgtgt gtgtggtg acccagactg tcaatcaata aagacccaga 2880 ctgtcaatga aaaaaaaaa aaaaaaaa aaaaaaaa 2918

<210> 13 <211> 3043 <212> DNA

<213> mouse

<400> 13

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaecegee 120 cggtgaccat gatagtgttt gtcaggttca actccagcta tggcttccca gtggaggtcg 180 attetgacae cageatettg cageteaagg aagtggttge taagegacag ggggttecag 240 ctgaccaget gegtgtgatt tttgeeggga aggagettee gaateaeetg aeggtteaaa 300 actgtgacct ggaacaacag agtattgtac acatagtaca gagaccacgg aggagaagtc 360 atgaaacaaa tgcatctgga ggggacgaac cccagagcac ctcagagggc tccatatggg 420 agtccaggag cttgacacga gtggacctga gcagccatac cctgccggtg gactctgtgg 480 ggctggcggt cattctggac acagacagta agagggattc agaagcagcc agaggtccag 540 ttaaacccac ctacaacage tttttcatct actgcaaagg cccctgccac aaggtccage 600 ctggaaaget eegagtteag tgtggeacet geaaacaage aacceteace ttggeecagg 660 geceatettg etgggaegat gtettaatte caaaceggat gagtggtgag tgecagtete 720 cagactgeee tggaaccaga getgaatttt tetttaaatg tggageacae ccaaceteag 780 acaaggacac gtcggtagct ttgaacctga tcaccagcaa caggcgcagc atcccttgca 840 tagegtgeae agatgteagg agecetgtee tggtetteea gtgtaaceae egteaegtga 900 tetgtttgga etgttteeae ttgtattgtg teacaagaet caacgategg eagtttgtee 960 acgatgetea acttggetae teeetgeegt gtgtagtttg ttttetgeeg ggaetgtaag 1020 gaagcatacc atgaagggga ttgcgactca ctgctcgaac cctcaggagc cacttctcag 1080 gectacaggg tggacaaaag agccgetgag caageteget gggaggagge etecaaggaa 1140 accatcaaga agaccaccaa gccttgtcct cgctgcaacg tgccaattga aaaaaacgga 1200 ggatgtatgc acatgaagtg teetcageee cagtgcaage tggagtggtg etggaactgt 1260 ggctgtgagt ggaaccgagc ctgcatggga gatcactggt ttgacgtgta gagagagatg 1320 tcacttggcc ctggacgcac aacctcaagg gaaactccga agattcctac cttccttagc 1380 catttettet tetegatgea tataageaca taaatgegea cacacaaaca caggetgeag 1440 attacagaag cagecectag atcettteta gggcacecae agaaaaceae agcaceeget 1500 ggccccaggg ggaggaggca ctttcagcct ctggctcact cgaatgtcag agcttagatg 1560 agggtgcacc tttggtttgg attctgtaga agccatgagt gaggtgggaa gtgttttcca 1620 gggttgttge cacgecetgg gtaagtaaca eetetgagga ttetcagaag cacaettgag 1680 atctgaggaa cgetgetete atgtagtaat catetattee caaagggeee eetgeagtag 1740 tcaaaactat ttgtttatcc ccccaaatcc tatctttaca aatggtgctg atgagattac 1800 aacccctctg tgtactaatc agcttatcaa ccaagtgaga acctaggaaa gctaattgga 1860 tggcagactg cttaaatcgc agggaggact cagaagccaa acctacttcc gttcgtttca 1920 ttatctgcaa ctttagaaag aaatgatctt tttttccccc tgaaaagata acaaagtctg 1980

caatttggtt tggagtattc ctactgcagc ctggaagttt agcttcactg tgaatttaac 2040 agagaaagtg cctataaagg gggcgttttt aagagacaat cccatgatgc tgcgccaatg 2100 ctaacaacag ggtcaagaaa cacaatgttt atagaaggag catccctcga ccatctgaat 2160 gagagtatge etgaceeett ecaceacaag tggggacace tetgcatate tgeteeetee 2220 tetgetgtta ageeccaggg ageeccatee acceagtggt cetacagaca gggcaataca 2280 cacacaccaa gatagcette agateaacat geateacact caagtgttaa tettteaagg 2340 ttttcttttc tttttcctgt tttttatttg ttttgctttt gctttttttt tttttttt 2400 tggtggtggt ggggctacca aacttgaggc ctagagctaa aaatcatata gaaatgatgt 2460 tatcttgtgg tgtgaggaaa ggccagctgg cctaagttca cacttttgtc ccagtggccc 2520 tagactecae ecagecaget eccaaaatga aaagaceaee tgteaageag eagteaggag 2580 totgatgtca cocatcacta tttttttcc atcattgtgc ttgcctctgc ctccttccac 2640 accegigiga egiaategea tigggaagee aggacaatgi tigetgitet gettigggta 2700 aagggactee etgaagetet gtggetetee agtatggtee etttteette etaacagatg 2760 catatgtttt cttcagaata caatagtgat tettaaaata acccaaaaga caggeateca 2820 cagtgtgtga gcatgaatca cagcctgcat tgtgtgagtg tgaatagtgg gataaaagtg 2880 gatgtcagaa gagtggaaat caaacctctg caaagcaatc tttctctttc tgtgaagtgt 2940 attaagaaat acctgaagtc tgtgtgtgtg gtggtaccca gactgtcaat caataaagac 3000 ccagactgtc aatgaaaaaa aaaaaaaaa aaa 3043

<210> 14 <211> 3253

<212> DNA

<213> mouse

<400> 14

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaeeegee 120 eggtgaccat gatagtgttt gtcaggttca actccagcta tggcttccca gtggaggtcg 180 attetgacae cageatettg cageteaagg aagtggttge taagegaegg ggttecaget 240 gaccagetge gtgtgatttt tgeegggaag gagetteega ateaeetgae ggtteaaaae 300 tgtgacctgg aacaacagag tattgtacac atagtacaga gaccacggag gagaagtcat 360 gaaacaaatg catctggagg ggacgaaccc cagagcacct cagagggctc catatgggag 420 tecaggaget tgacacgagt ggacetgage agecatacee tgeeggtgga etetgtgggg 480 ctggcggtca ttctggacac agacagtaag agggattcag aagcagccag aggtccagtt 540 aaacccacct acaacagett tttcatetae tgcaaaggee eetgecacaa ggtecageet 600 ggaaagetee gagtteagtg tggeacetge aaacaageaa eeeteacett ggeecaggge 660 ccatcttgct gggacgatgt cttaattcca aaccggatga gtggtgagtg ccagtctcca 720 gactgeeetg gaaccagage tgaattttte tttaaatgtg gagcacacce aaccteagae 780 aaggacacgt cggtagettt gaacetgate accageaaca ggegeageat eeettgeata 840 gegtgeacag atgteaggag ecctgteetg gtetteeagt gtaaccaceg teaegtgate 900 tgtttggact gtttccactt gtattgtgtc acaagactca acgatcggca gtttgtccac 960 gatgeteaac ttggetaete eetgeegtgt gtagetgget gteccaacte eetgattaaa 1020 gagetecate aetteaggat eettggagaa gageagtaca etaggtacea geagtatggg 1080 gccgaggaat gcgtgctgca aatgggaggt gtgctgtgcc cccgtcctgg ctgtggagct 1140 ggactgctac ctgaacaggg ccagaggaaa gtcacctgcg aagggggcaa cggcctgggc 1200 tgcgggtttg ttttctgccg ggactgtaag gaagcatacc atgaagggga ttgcgactca 1260 ctgctcgaac cctcaggage cacttctcag gcctacaggg tggacaaaag agccgctgag 1320 caageteget gggaggagge etecaaggaa accateaaga agaceaceaa geettgteet 1380

cgctgcaacg	tgccaattga	aaaaaacgga	ggatgtatgc	acatgaagtg	tcctcagccc	1440
	tggagtggtg					
gatcactggt	ttgacgtgta	gagagagatg	tcacttggcc	ctggacgcac	aacctcaagg	1560
	agattcctac					
taaatgcgca	cacacaaaca	caggetgeag	attacagaag	cagcccctag	atcctttcta	1680
gggcacccac	agaaaaccac	agcacccgct	ggccccaggg	ggaggaggca	ctttcagcct	1740
ctggctcact	cgaatgtcag	agcttagatg	agggtgcacc	tttggtttgg	attctgtaga	1800
agccatgagt	gaggtgggaa	gtgttttcca	gggttgttgc	cacgccctgg	gtaagtaaca	1860
cctctgagga	ttctcagaag	cacacttgag	atctgaggaa	cgctgctctc	atgtagtaat	1920
catctattcc	caaagggccc	cctgcagtag	tcaaaactat	ttgtttatcc	ccccaatcc	1980
tatctttaca	aatggtgctg	atgagattac	aacccctctg	tgtactaatc	agcttatcaa	2040
ccaagtgaga	acctaggaaa	gctaattgga	tggcagactg	cttaaatcgc	agggaggact	2100
cagaagccaa	acctacttcc	gttcgtttca	ttatctgcaa	ctttagaaag	aaatgatctt	2160
tttttcccc	tgaaaagata	acaaagtctg	caatttggtt	tggagtattc	ctactgcage	2220
ctggaagttt	agcttcactg	tgaatttaac	agagaaagtg	cctataaagg	gggcgttttt	2280
aagagacaat	cccatgatgc	tgcgccaatg	ctaacaacag	ggtcaagaaa	cacaatgttt	2340
atagaaggag	catccctcga	ccatctgaat	gagagtatgc	ctgacccctt	ccaccacaag	2400
tggggacacc	tctgcatatc	tgctccctcc	tctgctgtta	agccccaggg	agccccatcc	2460
acccagtggt	cctacagaca	gggcaataca	cacacaccaa	gatagccttc	agatcaacat	2520
gcatcacact	caagtgttaa	tctttcaagg	ttttctttc	tttttcctgt	tttttatttg	2580
ttttgcttt	gcttttttt	tttttttt	tggtggtggt	ggggctacca	aacttgaggc	2640
ctagagctaa	aaatcatata	gaaatgatgt	tatcttgtgg	tgtgaggaaa	ggccagctgg	2700
cctaagttca	cacttttgtc	ccagtggccc	tagactccac	ccagccagct	cccaaaatga	2760
aaagaccacc	tgtcaagcag	cagtcaggag	tctgatgtca	cccatcacta	tttttttcc	2820
	ttgcctctgc					
aggacaatgt	ttgctgttct	gctttgggta	aagggactcc	ctgaagctct	gtggctctcc	2940
agtatggtcc	cttttccttc	ctaacagatg	catatgtttt	cttcagaata	caatagtgat	3000
tcttaaaata	acccaaaaga	caggcatcca	cagtgtgtga	gcatgaatca	cagcctgcat	3060
tgtgtgagtg	tgaatagtgg	gataaaagtg	gatgtcagaa	gagtggaaat	caaacctctg	3120
caaagcaatc	tttctctttc	tgtgaagtgt	attaagaaat	acctgaagtc	tgtgtgtgtg	3180
gtggtaccca	gactgtcaat	caataaagac	ccagactgtc	aatgaaaaaa	aaaaaaaa	3240
aa a aaaaaa	aaa					3253


<210> 15

<211> 3254

<212> DNA

<213> mouse


<400> 15



<211> 3253 <212> DNA <213> mouse

<400> 16

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaeeegee 120 eggtgaecat gatagtgttt gteaggttea acteeageta tggetteeca gtggaggteg 180 attetgacae cageatettg cageteaagg aagtggttge taagegacag ggggttecag 240 ctgaccagct gcgtgtgatt tttgccggga aggagcttcc gaatcacctg acggttcaaa 300 actgtgacct ggaacaacag agtattgtac acatagtaca gagaccacgg gagaagtcat 360 gaaacaaatg catctggagg ggacgaaccc cagagcacct cagagggctc catatgggag 420 tccaggaget tgacacgagt ggacetgage agecatacce tgeeggtgga etetgtgggg 480 ctggcggtca ttctggacac agacagtaag agggattcag aagcagccag aggtccagtt 540 aaacccacct acaacagett tttcatctac tgcaaaggce cetgecacaa ggtceageet 600 ggaaagetee gagtteagtg tggeacetge aaacaageaa eeeteacett ggeeeaggge 660 ccatcttgct gggacgatgt cttaattcca aaccggatga gtggtgagtg ccagtctcca 720 gactgccctg gaaccagage tgaatttttc tttaaatgtg gagcacaccc aacctcagac 780 aaggacacgt cggtagcttt gaacctgatc accagcaaca ggcgcagcat cccttgcata 840 gcgtgcacag atgtcaggag ccctgtcctg gtcttccagt gtaaccaccg tcacgtgatc 900 tgtttggact gtttccactt gtattgtgtc acaagactca acgatcggca gtttgtccac 960 gatgeteaac ttggetacte eetgeegtgt gtagetgget gteecaacte eetgattaaa 1020 gagetecate aetteaggat eettggagaa gageagtaca etaggtaeca geagtatggg 1080 gccgaggaat gcgtgctgca aatgggaggt gtgctgtgcc cccgtcctgg ctgtggagct 1140 ggactgctac ctgaacaggg ccagaggaaa gtcacctgcg aagggggcaa cggcctgggc 1200 tgcgggtttg ttttctgccg ggactgtaag gaagcatacc atgaagggga ttgcgactca 1260 ctgctcgaac cctcaggagc cacttctcag gcctacaggg tggacaaaag agccgctgag 1320 caageteget gggaggagge etecaaggaa accateaaga agaceaceaa geettgteet 1380 cgctgcaacg tgccaattga aaaaacgga ggatgtatgc acatgaagtg tcctcagccc 1440 cagtgcaagc tggagtggtg ctggaactgt ggctgtgagt ggaaccgagc ctgcatggga 1500 gatcactggt ttgacgtgta gagagatg tcacttggcc ctggacgcac aacctcaagg 1560 gaaacteega agatteetae etteettage eatttettet tetegatgea tataageaca 1620 taaatgegea cacacaaaca caggetgeag attacagaag cageeestag atcettteta 1680 gggcacccac agaaaaccac agcacccgct ggccccaggg ggaggaggca ctttcagcct 1740 agccatgagt gaggtgggaa gtgttttcca gggttgttgc cacgccctgg gtaagtaaca 1860 cctctgagga ttctcagaag cacacttgag atctgaggaa cgctgctctc atgtagtaat 1920 catctattcc caaagggccc cctgcagtag tcaaaactat ttgtttatcc ccccaaatcc 1980 tatetttaca aatggtgetg atgagattae aacceetetg tgtactaate agettateaa 2040 ccaagtgaga acctaggaaa gctaattgga tggcagactg cttaaatcgc agggaggact 2100 cagaagecaa acetaettee gttegtttea ttatetgeaa etttagaaag aaatgatett 2160 tttttccccc tgaaaagata acaaagtctg caatttggtt tggagtattc ctactgcagc 2220 ctggaagttt agcttcactg tgaatttaac agagaaagtg cctataaagg gggcgttttt 2280 aagagacaat cccatgatgc tgcgccaatg ctaacaacag ggtcaagaaa cacaatgttt 2340 atagaaggag catecetega ecatetgaat gagagtatge etgaeceett ecaceacaag 2400 tggggacace tetgeatate tgetecetee tetgetgtta ageceeaggg ageceeatee 2460 acceagtggt cetacagaca gggcaataca cacacaccaa gatageette agatcaacat 2520 gcatcacact caagtgttaa tetttcaagg tittettite tittteetgt titttatitg 2580



<210> 17

<211> 3092

<212> DNA

<213> mouse

<400> 17

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaeeegee 120 cggtgaccat gatagtaact gtgacctgga acaacagagt attgtacaca tagtacagag 180 accacggagg agaagtcatg aaacaaatgc atctggaggg gacgaacccc agagcacctc 240 agagggetee atatgggagt ecaggagett gacacgagtg gacetgagea gecataceet 300 geeggtggae tetgtgggge tggeggteat tetggaeaca gaeagtaaga gggatteaga 360 ageagecaga ggtecagtta aacceaceta caacagettt tteatetact gcaaaggeee 420 ctgccacaag gtccagcctg gaaagctccg agttcagtgt ggcacctgca aacaagcaac 480 ceteacettg geccagggee catettgetg ggacgatgte ttaatteeaa aceggatgag 540 tggtgagtgc cagtctccag actgccctgg aaccagagct gaatttttct ttaaatgtgg 600 agcacaceca aceteagaca aggacaegte ggtagetttg aacetgatea ecageaacag 660 gegeageate cettgeatag egtgeacaga tgteaggage eetgteetgg tetteeagtg 720 taaccaccgt cacgtgatct gtttggactg tttccacttg tattgtgtca caagactcaa 780 egateggeag titigteeacg atgeteaact tegetactee etgeegtgtg tagetggetg 840 teccaaetee etgattaaag ageteeatea etteaggate ettggagaag ageagtacae 900 taggtaccag cagtatgggg ccgaggaatg cgtgctgcaa atgggaggtg tgctgtgccc 960 ccgtcctggc tgtggagctg gactgctacc tgaacagggc cagaggaaag tcacctgcga 1020 agggggcaac ggcctgggct gcgggtttgt tttctgccgg gactgtaagg aagcatacca 1080 tgaaggggat tgcgactcac tgctcgaacc ctcaggagcc acttctcagg cctacagggt 1140 ggacaaaaga gccgctgagc aagctcgctg ggaggaggcc tccaaggaaa ccatcaagaa 1200 gaccaccaag cettgteete getgeaacgt gecaattgaa aaaaacggag gatgtatgca 1260 catgaagtgt cctcagcccc agtgcaagct ggagtggtgc tggaactgtg gctgtgagtg 1320 gaaccgagcc tgcatgggag atcactggtt tgacgtgtag agagagatgt cacttggccc 1380 tggacgcaca acctcaaggg aaactccgaa gattcctacc ttccttagcc atttcttctt 1440 ctcgatgcat ataagcacat aaatgcgcac acacaaacac aggctgcaga ttacagaagc 1500 ageceetaga teetttetag ggeaceeaca gaaaaceaca geaceegetg geeceagggg 1560 gaggaggeac tttcageete tggeteacte gaatgteaga gettagatga gggtgeacet 1620 ttggtttgga ttctgtagaa gccatgagtg aggtgggaag tgttttccag ggttgttgcc 1680 acgecetggg taagtaacae etetgaggat teteagaage acaettgaga tetgaggaae 1740

gctgctctca tgtagtaatc atctattccc aaagggcccc ctgcagtagt caaaactatt 1800 tgtttatccc cccaaatcct atctttacaa atggtgctga tgagattaca acccctctgt 1860 gtactaatca gettateaac caagtgagaa eetaggaaag etaattggat ggeagaetge 1920 ttaaatcgca gggaggactc agaagccaaa cctacttccg ttcgtttcat tatctgcaac 1980 tttagaaaga aatgatettt tttteeeet gaaaagataa caaagtetge aatttggttt 2040 ggagtattcc tactgcagcc tggaagttta gcttcactgt gaatttaaca gagaaagtgc 2100 ctataaaggg ggcgttttta agagacaatc ccatgatgct gcgccaatgc taacaacagg 2160 gtcaagaaac acaatgttta tagaaggagc atccctcgac catctgaatg agagtatgcc 2220 tgaccccttc caccacagt ggggacacct ctgcatatct gctccctcct ctgctgttaa 2280 gecceaggga gecceateca eccagtggte etacagacag ggeaatacae acacaceaag 2340 atageettea gateaacatg cateacate aagtgttaat ettteaaggt tttetttet 2400 ttttcctgtt ttttatttgt tttgcttttg ctttttttt tttttttt ggtggtggtg 2460 gggctaccaa acttgaggcc tagagctaaa aatcatatag aaatgatgtt atcttgtggt 2520 gtgaggaaag gccagctggc ctaagttcac acttttgtcc cagtggccct agactccacc 2580 cagccagete ecaaaatgaa aagaceaeet gteaageage agteaggagt etgatgteae 2640 ccatcactat tttttttcca tcattgtgct tgcctctgcc tccttccaca cccgtgtgac 2700 gtaatcgcat tgggaagcca ggacaatgtt tgctgttctg ctttgggtaa agggactccc 2760 tgaagetetg tggeteteea gtatggteee tttteettee taacagatge atatgtttte 2820 ttcagaatac aatagtgatt cttaaaataa cccaaaagac aggcatccac agtgtgtgag 2880 catgaatcac agcctgcatt gtgtgagtgt gaatagtggg ataaaagtgg atgtcagaag 2940 agtggaaatc aaacctctgc aaagcaatct ttctctttct gtgaagtgta ttaagaaata 3000 cctgaagtct gtgtgtgtgg tggtacccag actgtcaatc aataaagacc cagactgtca 3060 atgaaaaaa aaaaaaaaa aa 3092

<210> 18

<211> 3255

<212> DNA

<213> mouse

<400> 18

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaeeegee 120 eggtgaecat gatagtgttt gteaggttea actecageta tggetteeca gtggaggteg 180 attetgaeae cageatettg cageteaagg aagtggttge taagegaeag ggggtteeag 240 ctgaccagct gcgtgtgatt tttgccggga aggagcttcc gaatcacctg acggttcaaa 300 actgtgacct ggaacaacag agtattgtac acatagtaca gagaccacgg aggagaagtc 360 atgaaacaaa tgcatctgga ggggacgaac cccagagcac ctcagagggc tccatatggg 420 agtccaggag cttgacacga gtggacctga gcagccatac cctgccggtg gactctgtgg 480 ggctggcggt cattctggac acagacagta agagggattc agaagcagcc agaggtccag 540 ttaaacccac ctacaacage tttttcatct actgcaaagg cccctgccac aaggtccage 600 ctggaaatct ccgagttcag tgtggcacct gcaaacaagc aaccctcacc ttggcccagg 660 gcccatcttg ctgggacgat gtcttaattc caaaccggat gagtggtgag tgccagtctc 720 cagactgccc tggaaccaga gctgaatttt tctttaaatg tggagcacac ccaacctcag 780 acaaggacac gtcggtagct ttgaacctga tcaccagcaa caggcgcagc atcccttgca 840 tagegtgeae agatgteagg agecetgtee tggtetteea gtgtaaceae egteaegtga 900 totgtttgga otgtttocac ttgtattgtg toacaagact caacgatcgg cagtttgtcc 960 acgatgetea acttggetae tecetgeegt gtgtagetgg etgteecaae tecetgatta 1020 aagageteca teaetteagg ateettggag aagageagta caetaggtae eageagtatg 1080



gggccgagga	atgcgtgctg	caaatgggag	gtgtgctgtg	ccccgtcct	ggctgtggag	1140
ctggactgct	acctgaacag	ggccagagga	aagtcacctg	cgaagggggc	aacggcctgg	1200
gctgcgggtt	tgttttctgc	cgggactgta	aggaagcata	ccatgaaggg	gattgcgact	1260
cactgctcga	accctcagga	gccacttctc	aggcctacag	ggtggacaaa	agageegetg	1320
agcaagctcg	ctgggaggag	gcctccaagg	aaaccatcaa	gaagaccacc	aagccttgtc	1380
ctcgctgcaa	cgtgccaatt	gaaaaaaacg	gaggatgtat	gcacatgaag	tgtcctcage	1440
cccagtgcaa	gctggagtgg	tgctggaact	gtggctgtga	gtggaaccga	gcctgcatgg	1500
gagatcactg	gtttgacgtg	tagagagaga	tgtcacttgg	ccctggacgc	acaacctcaa	1560
gggaaactcc	gaagattcct	accttcctta	gccatttctt	cttctcgatg	catataagca	1620
cataaatgcg	cacacacaaa	cacaggetge	agattacaga	agcagcccct	agatecttte	1680
tagggcaccc	acagaaaacc	acagcacccg	ctggccccag	ggggaggagg	cactttcagc	1740
ctctggctca	ctcgaatgtc	agagcttaga	tgagggtgca	cctttggttt	ggattctgta	1800
gaagccatga	gtgaggtggg	aagtgttttc	cagggttgtt	gccacgccct	gggtaagtaa	1860
cacctctgag	gattctcaga	agcacacttg	agatctgagg	aacgctgctc	tcatgtagta	1920
atcatctatt	cccaaagggc	cccctgcagt	agtcaaaact	atttgtttat	cccccaaat	1980
cctatcttta	caaatggtgc	tgatgagatt	acaacccctc	tgtgtactaa	tcagcttatc	2040
aaccaagtga	gaacctagga	aagctaattg	gatggcagac	tgcttaaatc	gcagggagga	2100
ctcagaagcc	aaacctactt	ccgttcgttt	cattatctgc	aactttagaa	agaaatgatc	2160
ttttttccc	cctgaaaaga	taacaaagtc	tgcaatttgg	tttggagtat	tcctactgca	2220
gcctggaagt	ttagcttcac	tgtgaattta	acagagaaag	tgcctataaa	gggggcgttt	2280
ttaagagaca	atcccatgat	gctgcgccaa	tgctaacaac	agggtcaaga	aacacaatgt	2340
		gaccatctga				
		tctgctccct				
ccacccagtg	gtcctacaga	cagggcaata	cacacacacc	aagatagcct	tcagatcaac	2520
		aatctttcaa				
tgttttgctt	ttgcttttt	tttttttt	tttggtggtg	gtggggctac	caaacttgag	2640
gcctagagct	aaaaatcata	tagaaatgat	gttatcttgt	ggtgtgagga	aaggccagct	2700
ggcctaagtt	cacacttttg	tcccagtggc	cctagactcc	acccagccag	ctcccaaaat	2760
		agcagtcagg				
ccatcattgt	gcttgcctct	gcctccttcc	acacccgtgt	gacgtaatcg	cattgggaag	2880
ccaggacaat	gtttgctgtt	ctgctttggg	taaagggact	ccctgaagct	ctgtggctct	2940
ccagtatggt	cccttttcct	tcctaacaga	tgcatatgtt	ttcttcagaa	tacaatagtg	3000
attottaaaa	taacccaaaa	gacaggcatc	cacagtgtgt	gagcatgaat	cacageetge	3060
attgtgtgag	tgtgaatagt	gggataaaag	tggatgtcag	aagagtggaa	atcaaacctc	3120
tgcaaagcaa	tetttetett	tctgtgaagt	gtattaagaa	atacctgaag	tctgtgtgtg	3180
tggtggtacc	cagactgtca	atcaataaag	acccagactg	tcaatgaaaa	aaaaaaaa	3240
aaaaaaaaa						3255

<210> 19

<211> 3255

<212> DNA

<213> mouse

<400> 19

ctcagcgagg ggaagggga ggaggcctgg atgactaaac ctgacagaa cgctggtggg 60 aggctcgggc gggcgccagt gcccgcgtag gtccttctcg acccgcagcc accaccgcc 120 cggtgaccat gatagtgttt gtcaggttca actccagcta tggcttccca gtggaggtcg 180 attctgacac cagcatcttg cagctcaagg aagtggttgc taagcgacag ggggttccag 240

	sestatest	+++				
					acggttcaaa	
					aggagaagtc	
					tccatatggg	
			•		gactctgtgg	
					agaggtccag	
ttaaacccac	ctacaacagc	tttttcatct	actgcaaagg	cccctgccac	aaggtccagc	600
ctggaaagct	ccgagttcag	tgtggcacct	gcaaacaagc	aaccctcacc	ttggcccagg	660
gcccatcttg	ctgggacgat	gtcttaattc	caaaccggat	gagtggtgag	tgccagtctc	720
cagactgccc	tggaaccaga	gctgaatttt	tctttaaatg	tggagcacac	ccaacctcag	780
acaaggacac	gtcggtagct	ttgaacctga	tcaccagcaa	caggcgcagc	atcccttgca	840
tagcgtgcac	agatgtcagg	agccctgtcc	tggtcttcca	gtgtaaccac	cgtcacgtga	900
tctgtttgga	ctgtttccac	ttgtattgtg	tcacaagact	caacgatcgg	cagtttgtcc	960
acgatgctca	acttggctac	tccctgccgt	gtgtagctgg	ctgtcccaac	tccctgatta	1020
aagagctcca	tcacttcagg	atccttggag	aagagcagta	cactaggtac	cagcagtatg	1080
gggccgagga	atgcgtgctg	caaatgggag	gtgtgctgtg	ccccgtcct	ggctgtggag	1140
ctggactgct	acctgaacag	ggccagagga	aagtcacctg	cgaagggggc	aacggcctgg	1200
gctgcgggtt	tgttttctgc	cgggactgta	aggaagcata	ccatgaaggg	gattgcgact	1260
					agageegetg	
					aagccttgtc	
					tgtcctcagc	
					gcctgcatgg	
					acaacctcaa	
-					catataagca	
					agateettte	
					cactttcagc	
					ggattctgta	
					gggtaagtaa	
					tcatgtagta	
					cccccaaat	
			_	_	tcagcttatc	
					gcagggagga	
					agaaatgatc	
					tcctactgca	
				-	gggggcgttt	
					aacacaatgt	
					ttccaccaca	
					ggagccccat	
				· =	tcagatcaac	
					gttttttatt	
					caaacttgag	
					aaggccagct	
ggcctaagtt	cacacttttg	tcccagtggc	cctagactcc	acccagccag	ctcccaaaat	2760
gaaaagacca	cctgtcaagc	agcagtcagg	agtctgatgt	cacccatcac	tatttttt	2820
ccatcattgt	gcttgcctct	gcctccttcc	acacccgtgt	gacgtaatcg	cattgggaag	2880
ccaggacaat	gtttgctgtt	ctgctttggg	taaagggact	ccctgaagct	ctgtggctct	2940
ccagtatggt	cccttttcct	tcctaacaga	tgcatatgtt	ttcttcagaa	tacaatagtg	3000
attcttaaaa	taacccaaaa	gacaggcatc	cacagtgtgt	gagcatgaat	cacageetge	3060
attgtgtgag	tgtgaatagt	gggataaaag	tggatgtcag	aagagtggaa	atcaaacctc	3120

<210> 20 <211> 3255 <212> DNA <213> mouse

<400> 20

ctcagcgagg ggaaggggga ggaggcctgg atgactaaac ctgacagaaa cgctggtggg 60 aggeteggge gggegeeagt geeegegtag gteetteteg accegeagee accaecegee 120 eggtgaccat gatagtgttt gtcaggttca actccagcta tggcttccca gtggaggtcg 180 attotgacae cageatettg cageteaagg aagtggttge taagegacag ggggttecag 240 ctgaccagct gcgtgtgatt tttgccggga aggagcttcc gaatcacctg acggttcaaa 300 actgtgacct ggaacaacag agtattgtac acatagtaca gagaccacgg aggagaagtc 360 atgaaacaaa tgcatctgga ggggacgaac cccagagcac ctcagagggc tccatatggg 420 agtccaggag cttgacacga gtggacctga gcagccatac cctgccggtg gactctgtgg 480 ggctggcggt cattctggac acagacagta agagggattc agaagcagcc agaggtccag 540 ttaaacccac ctacaacage tttttcatct actgcaaagg cccctgccac aaggtccage 600 ctggaaagct ccgagttcag tgtggcacct gcaaacaagc aaccctcacc ttggcccagg 660 geceatettg etgggaegat gtettaatte caaaceggat gagtggtgag tgecagtete 720 cagactgode tggaaccaga gotgaatttt totttaaatg tggagcacac ccaaccacag 780 acaaggacac gtcggtagct ttgaacctga tcaccagcaa caggcgcagc atcccttgca 840 tagcgtgcac agatgtcagg agccctgtcc tggtcttcca gtgtaaccac cgtcacgtga 900 totgtttgga otgtttccac ttgtattgtg tcacaagact caacgatcgg cagtttgtcc 960 acgatgetea acttggetae tecetgeegt gtgtagetgg etgteecaae tecetgatta 1020 aagageteea teaetteagg ateettggag aagageagta caetaggtae cageagtatg 1080 gggccgagga atgcgtgctg caaatgggag gtgtgctgtg cccccgtcct ggctgtggag 1140 etggaetget acetgaacag ggccagagga aagtcacetg cgaagggggc aacggeetgg 1200 gctgcgggtt tgttttctgc cgggactgta aggaagcata ccatgaaggg gattgcgact 1260 cactgotoga accotoagga gocacttoto aggootacag ggtggacaaa agagoogotg 1320 agcaageteg etgggaggag geetecaagg aaaceateaa gaagaceace aageettgte 1380 ctcgctgcaa cgtgccaatt gaaaaaacg gaggatgtat gcacatgaag tgtcctcagc 1440 cccagtgcaa gctggagtgg tgctggaact gtggctgtga gtagaaccga gcctgcatgg 1500 gagatcactg gtttgacgtg tagagagaga tgtcacttgg ccctggacgc acaacctcaa 1560 gggaaactcc gaagattcct accttcctta gccatttctt cttctcgatg catataagca 1620 cataaatgeg cacacacaaa cacaggetge agattacaga agcageeeet agateettte 1680 tagggcaccc acagaaaacc acagcacccg ctggccccag ggggaggagg cactttcagc 1740 ctctggctca ctcgaatgtc agagcttaga tgagggtgca cctttggttt ggattctgta 1800 gaagccatga gtgaggtggg aagtgttttc cagggttgtt gccacgccct gggtaagtaa 1860 cacctetgag gattetcaga ageacaettg agatetgagg aacgetgete teatgtagta 1920 atcatctatt cccaaagggc cccctgcagt agtcaaaact atttgtttat ccccccaaat 1980 cctatettta caaatggtge tgatgagatt acaacceete tgtgtactaa teagettate 2040 aaccaagtga gaacctagga aagctaattg gatggcagac tgcttaaatc gcagggagga 2100 ctcagaagcc aaacctactt ccgttcgttt cattatctgc aactttagaa agaaatgatc 2160 tttttttccc cctgaaaaga taacaaagtc tgcaatttgg tttggagtat tcctactgca 2220 geetggaagt ttagetteae tgtgaattta acagagaaag tgeetataaa gggggegttt 2280

ttaagagaca atcccatgat gctgcgccaa tgctaacaac agggtcaaga aacacaatgt 2340 ttatagaagg agcatccctc gaccatctga atgagagtat gcctgacccc ttccaccaca 2400 agtggggaca cototgcata totgotocot cototgctgt taagccccag ggagccccat 2460 ccacccagtg gtcctacaga cagggcaata cacacacc aagatagcct tcagatcaac 2520 atgcatcaca ctcaagtgtt aatctttcaa ggttttcttt tcttttcct gttttttatt 2580 tgttttgctt ttgctttttt tttttttt tttggtggtg gtggggctac caaacttgag 2640 gcctagagct aaaaatcata tagaaatgat gttatcttgt ggtgtgagga aaggccagct 2700 ggcctaagtt cacacttttg tcccagtggc cctagactcc acccagccag ctcccaaaat 2760 gaaaagacca cctgtcaagc agcagtcagg agtctgatgt cacccatcac tattttttt 2820 ccatcattgt gcttgcctct gcctccttcc acacccgtgt gacgtaatcg cattgggaag 2880 ccaggacaat gtttgctgtt ctgctttggg taaagggact ccctgaagct ctgtggctct 2940 ccagtatggt cccttttcct tcctaacaga tgcatatgtt ttcttcagaa tacaatagtg 3000 attettaaaa taacccaaaa gacaggcate cacagtgtgt gagcatgaat cacagcctgc 3060 attgtgtgag tgtgaatagt gggataaaag tggatgtcag aagagtggaa atcaaacctc 3120 tgcaaagcaa tetttetett tetgtgaagt gtattaagaa atacetgaag tetgtgtgtg 3180 tggtggtacc cagactgtca atcaataaag acccagactg tcaatgaaaa aaaaaaaaa 3240 aaaaaaaaa aaaaa 3255

<210> 21

<211> 105

<212> PRT

<213> mouse

<400> 21

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Leu Asn Pro Pro Thr Thr Ala
50 55 60

Phe Ser Ser Thr Ala Lys Ala Pro Ala Thr Arg Ser Ser Leu Glu Ser 65 70 75 80

Ser Glu Phe Ser Val Ala Pro Ala Asn Lys Gln Pro Ser Pro Trp Pro 85 90 95

Arg Ala His Leu Ala Gly Thr Met Ser 100 105

<210> 22

<211> 344

<212> PRT

<213> mouse

<400> 22

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Gly Pro Ser Cys Trp Asp Asp 50 55 60

Val Leu Ile Pro Asn Arg Met Ser Gly Glu Cys Gln Ser Pro Asp Cys
65 70 75 80

Pro Gly Thr Arg Ala Glu Phe Phe Phe Lys Cys Gly Ala His Pro Thr 85 90 95

Ser Asp Lys Asp Thr Ser Val Ala Leu Asn Leu Ile Thr Ser Asn Arg
100 105 110

Arg Ser·Ile Pro Cys Ile Ala Cys Thr Asp Val Arg Ser Pro Val Leu 115 120 125

Val Phe Gln Cys Asn His Arg His Val Ile Cys Leu Asp Cys Phe His 130 135 140

Gln Leu Gly Tyr Ser Leu Pro Cys Val Ala Gly Cys Pro Asn Ser Leu 165 170 175

Ile Lys Glu Leu His His Phe Arg Ile Leu Gly Glu Glu Gln Tyr Thr 180 185 190

Arg Tyr Gln Gln Tyr Gly Ala Glu Glu Cys Val Leu Gln Met Gly Gly
195 200 205

Val Leu Cys Pro Arg Pro Gly Cys Gly Ala Gly Leu Leu Pro Glu Gln 210 215 220

Gly Gln Arg Lys Val Thr Cys Glu Gly Gly Asn Gly Leu Gly Cys Gly

225 230 235 240

Phe Val Phe Cys Arg Asp Cys Lys Glu Ala Tyr His Glu Gly Asp Cys
245 250 255

Asp Ser Leu Leu Glu Pro Ser Gly Ala Thr Ser Gln Ala Tyr Arg Val

Asp Lys Arg Ala Ala Glu Gln Ala Arg Trp Glu Glu Ala Ser Lys Glu 275 280 285

Thr Ile Lys Lys Thr Thr Lys Pro Cys Pro Arg Cys Asn Val Pro Ile 290 295 300

Glu Lys Asn Gly Gly Cys Met His Met Lys Cys Pro Gln Pro Gln Cys 305 310 315 320

Lys Leu Glu Trp Cys Trp Asn Cys Gly Cys Glu Trp Asn Arg Ala Cys
325 330 335

Met Gly Asp His Trp Phe Asp Val

<210> 23

<211> 63

<212> PRT

<213> mouse

<400> 23

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Leu Ala Val Pro Thr Pro 50 55 60

<210> 24

<211> 153

<212> PRT

<213> mouse

<400> 24

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile 85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu 100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Gly Pro Ile Leu Leu Gly Arg 130 135 140

Cys Leu Asn Ser Lys Pro Asp Glu Trp 145 150

<210> 25

<211> 194

<212> PRT

<213> mouse

<400> 25

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln

50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile
85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu
100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Val Lys Pro Thr Tyr Asn Ser 130 135 140

Phe Phe Ile Tyr Cys Lys Gly Pro Cys His Lys Val Gln Pro Gly Lys
145 150 155 160

Leu Arg Val Gln Cys Gly Thr Cys Lys Gln Ala Thr Leu Thr Leu Ala 165 170 175

Gln Asn Phe Ser Leu Asn Val Glu His Thr Gln Pro Gln Thr Arg Thr 180 185 190

Arg Arg

<210> 26

<211> 183

<212> PRT

<213> mouse

<400> 26

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile 85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu
100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Val Lys Pro Thr Tyr Asn Ser 130 135 140

Phe Phe Ile Tyr Cys Lys Gly Pro Cys His Lys Val Gln Pro Gly Lys
145 150 155 160

Leu Arg Val Gln Cys Gly Thr Cys Lys Gln Ala Thr Leu Thr Leu Ala 165 170 175

Gln Leu Ala Val Pro Thr Pro 180

<210> 27

<211> 296

<212> PRT

<213> mouse

<400> 27

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile
85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu
100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Val Lys Pro Thr Tyr Asn Ser 130 135 140

Phe Phe Ile Tyr Cys Lys Gly Pro Cys His Lys Val Gln Pro Gly Lys
145 150 155 160

Leu Arg Val Gln Cys Gly Thr Cys Lys Gln Ala Thr Leu Thr Leu Ala 165 170 175

Gln Gly Pro Ser Cys Trp Asp Asp Val Leu Ile Pro Asn Arg Met Ser 180 185 190

Gly Glu Cys Gln Ser Pro Asp Cys Pro Gly Thr Arg Ala Glu Phe Phe 195 200 205

Phe Lys Cys Gly Ala His Pro Thr Ser Asp Lys Asp Thr Ser Val Ala 210 215 220

Leu Asn Leu Ile Thr Ser Asn Arg Arg Ser Ile Pro Cys Ile Ala Cys
225 230 235 240

Thr Asp Val Arg Ser Pro Val Leu Val Phe Gln Cys Asn His Arg His 245 250 255

Val Ile Cys Leu Asp Cys Phe His Leu Tyr Cys Val Thr Arg Leu Asn 260 265 270

Asp Arg Gln Phe Val His Asp Ala Gln Leu Gly Tyr Ser Leu Pro Cys
275 280 285

Val Val Cys Phe Leu Pro Gly Leu 290 295

<210> 28

<211> 37

<212> PRT

<213> mouse

<400> 28

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Arg Gly Ser Ser 35

<210> 29

<211> 53

<212> PRT

<213> mouse

<400> 29

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Ile Thr 50

<210> 30

<211> 77

<212> PRT

<213> mouse

<400> 30

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Glu Lys Ser 65 70 75

WO 01/16176 PCT/EP00/08071

<210> 31

<211> 14

<212> PRT

<213> mouse

<400> 31

Met Ile Val Thr Val Thr Trp Asn Asn Arg Val Leu Tyr Thr

1 5 10

<210> 32

<211> 464

<212> PRT

<213> mouse

<400> 32

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu
1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60


Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile
85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu 100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Val Lys Pro Thr Tyr Asn Ser 130 135 140



WO 01/16176 PCT/EP00/08071

Cys Pro Arg Cys Asn Val Pro Ile Glu Lys Asn Gly Gly Cys Met His
420 425 430

Met Lys Cys Pro Gln Pro Gln Cys Lys Leu Glu Trp Cys Trp Asn Cys
435
440
445

Gly Cys Glu Trp Asn Arg Ala Cys Met Gly Asp His Trp Phe Asp Val 450 455 460

<210> 33

<211> 464

<212> PRT

<213> mouse

<400> 33

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 5 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60


Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile
85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu 100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Val Lys Pro Thr Tyr Asn Ser 130 135 140



WO 01/16176 PCT/EP00/08071

Cys Pro Arg Cys Asn Val Pro Ile Glu Lys Asn Gly Gly Cys Met His
420 425 430

Met Lys Cys Pro Gln Pro Gln Cys Lys Leu Glu Trp Cys Trp Asn Cys
435
445

Gly Cys Glu Trp Asn Arg Ala Cys Met Gly Asp His Trp Phe Asp Val 450 455 460

<210> 34

<211> 451

<212> PRT

<213> mouse

<400> 34

Met Ile Val Phe Val Arg Phe Asn Ser Ser Tyr Gly Phe Pro Val Glu

1 10 15

Val Asp Ser Asp Thr Ser Ile Leu Gln Leu Lys Glu Val Val Ala Lys
20 25 30

Arg Gln Gly Val Pro Ala Asp Gln Leu Arg Val Ile Phe Ala Gly Lys
35 40 45

Glu Leu Pro Asn His Leu Thr Val Gln Asn Cys Asp Leu Glu Gln Gln 50 55 60

Ser Ile Val His Ile Val Gln Arg Pro Arg Arg Arg Ser His Glu Thr
65 70 75 80

Asn Ala Ser Gly Gly Asp Glu Pro Gln Ser Thr Ser Glu Gly Ser Ile 85 90 95

Trp Glu Ser Arg Ser Leu Thr Arg Val Asp Leu Ser Ser His Thr Leu 100 105 110

Pro Val Asp Ser Val Gly Leu Ala Val Ile Leu Asp Thr Asp Ser Lys
115 120 125

Arg Asp Ser Glu Ala Ala Arg Gly Pro Val Lys Pro Thr Tyr Asn Ser 130 135 140

Phe Phe Ile Tyr Cys Lys Gly Pro Cys His Lys Val Gln Pro Gly Lys

Leu Arg Val Gln Cys Gly Thr Cys Lys Gln Ala Thr Leu Thr Leu Ala Gln Gly Pro Ser Cys Trp Asp Asp Val Leu Ile Pro Asn Arg Met Ser Gly Glu Cys Gln Ser Pro Asp Cys Pro Gly Thr Arg Ala Glu Phe Phe Phe Lys Cys Gly Ala His Pro Thr Ser Asp Lys Asp Thr Ser Val Ala

Leu Asn Leu Ile Thr Ser Asn Arg Arg Ser Ile Pro Cys Ile Ala Cys

Thr Asp Val Arg Ser Pro Val Leu Val Phe Gln Cys Asn His Arg His

Val Ile Cys Leu Asp Cys Phe His Leu Tyr Cys Val Thr Arg Leu Asn

Asp Arg Gln Phe Val His Asp Ala Gln Leu Gly Tyr Ser Leu Pro Cys

Val Ala Gly Cys Pro Asn Ser Leu Ile Lys Glu Leu His His Phe Arg

Ile Leu Gly Glu Glu Gln Tyr Thr Arg Tyr Gln Gln Tyr Gly Ala Glu

Glu Cys Val Leu Gln Met Gly Gly Val Leu Cys Pro Arg Pro Gly Cys

Gly Ala Gly Leu Leu Pro Glu Gln Gly Gln Arg Lys Val Thr Cys Glu

Gly Gly Asn Gly Leu Gly Cys Gly Phe Val Phe Cys Arg Asp Cys Lys

Glu Ala Tyr His Glu Gly Asp Cys Asp Ser Leu Leu Glu Pro Ser Gly

Ala Thr Ser Gln Ala Tyr Arg Val Asp Lys Arg Ala Ala Glu Gln Ala

Arg Trp Glu Glu Ala Ser Lys Glu Thr Ile Lys Lys Thr Thr Lys Pro

WO 01/16176

405

410

415

Cys Pro Arg Cys Asn Val Pro Ile Glu Lys Asn Gly Gly Cys Met His
420 425 430

Met Lys Cys Pro Gln Pro Gln Cys Lys Leu Glu Trp Cys Trp Asn Cys 435 440 445

Gly Cys Glu 450

JAN 15 E FE

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 8 March 2001 (08.03.2001)

PCT

(10) International Publication Number WO 01/16176 A3

- (51) International Patent Classification7: C12N 15/12. 5/10, 1/21, 1/19, C07K 14/47, A01K 67/027, A61K 49/00, C12Q 1/68
- (74) Agent: STERNAGEL, FLEISCHER, GODEMEYER & PARTNER; Braunsberger Feld 29, D-51429 Bergisch Gladbach (DE).
- (21) International Application Number:
- (81) Designated States (national): CA, JP, US.

with international search report

- (22) International Filing Date: 18 August 2000 (18.08.2000)
- (84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

(25) Filing Language:

English

(26) Publication Language:

English

Published:

(30) Priority Data:

99116766.9

30 August 1999 (30.08.1999)


- (88) Date of publication of the international search report: 27 September 2001
- (71) Applicant (for all designated States except US): **BIOFRONTERA PHARMACEUTICALS** AG [DE/DE]; Hemmelrather Weg 201, D-51377 Leverkusen (DE).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

- (72) Inventor; and
- (75) Inventor/Applicant (for US only): LÜBBERT, Hermann [DE/DE]; Höhenstrasse 59, D-51381 Leverkusen (DE).

(54) Title: TRANSGENIC ANIMAL MODEL FOR NEURODEGENERATIVE DISEASES

(57) Abstract: The present application refers to a mouse parkin2 DNA- and protein sequence, containing mutations or deletions causing Parkinson's disease in a human if occurring in the according human sequence, the construction of a transgenic non-human animal containing such a mutated DNA sequence and therefore expressing no or a less active or non-active parkin protein as well as the use of this transgenic animal as a model for neurodegenerative diseases.



PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Section Sect	Applicant's or agent's file reference	I (Form PCT/ISA	n of Transmittal of International Search Report V220) as well as, where applicable, item 5 below.
Applicant BIOFRONTERA PHARMACEUTICALS GMBH et al. This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the international Bureau. This International Search Report consists of a total of	5807W0	ACTION	
Applicant BIOFRONTERA PHARMACEUTICALS GMBH et al. This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau. This International Search Report consists of a total or		International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
This International Search Report has been prepared by this international Searching Authority and is transmitted to the applicant according to Anticle 18. A copy is being transmitted to the international Bureau. This International Search Report consists of a total of		18/08/2000	30/08/1999
This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the international Bureau. This International Search Report consists of a total of	Applicant		
This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the international Bureau. This International Search Report consists of a total of	DIOCOGNITOR DUADMA OCUTIOA		
This International Search Report consists of a total of	BIOFRONIERA PHARMACEUTICAL	_S GMBH et al.	
This International Search Report consists of a total of			
It is also accompanied by a copy of each prior art document cited in this report. 1. Basis of the report a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was field, unless otherwise indicated under this item. the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)). With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing: X	This International Search Report has been according to Article 18. A copy is being tra	prepared by this International Searching Au ansmitted to the International Bureau.	ithority and is transmitted to the applicant
It is also accompanied by a copy of each prior art document cited in this report. 1. Basis of the report a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was field, unless otherwise indicated under this item. the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)). With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing: X			
1. Basis of the report a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item. the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)). With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing: X contained in the international application in written form. X filed together with the international application in computer readable form. furnished subsequently to this Authority in written form. X the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. X the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. X the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. X the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. X the text is approved as submitted by the applicant. The text is approved as submitted by the applicant. The text has been established by this Authority to read as follows: 5. With regard to the abstract, X the text is approved as submitted by the applicant. The text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.			
a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filled, unless otherwise indicated under this item. the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)). b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing: Contained in the international application in written form. filled together with the international application in computer readable form. furnished subsequently to this Authority in written form. furnished subsequently to this Authority in computer readable form. Kinch the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. Kinch the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. Certain claims were found unsearchable (See Box I). Unity of invention is lacking (see Box II). Unity of invention is lacking (see Box II). With regard to the title, Kinch the text is approved as submitted by the applicant. the text has been established by this Authority to read as follows: 5. With regard to the abstract, With the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.			s report.
the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)). b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing: X contained in the international application in written form. X filed together with the international application in computer readable form. I furnished subsequently to this Authority in written form. X the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. X the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. Certain claims were found unsearchable (See Box 1). Unity of invention is lacking (see Box II). 4. With regard to the title, X the text is approved as submitted by the applicant, the text has been established by this Authority to read as follows: 5. With regard to the abstract, X the text is approved as submitted by the applicant, the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. A suggested by the applicant. None of the figures.	•		
the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)). b. With regard to the title, Certain claims were found unsearchable (See Box I).	 With regard to the language, the in language in which it was filed, unle 	nternational search was carried out on the bases otherwise indicated under this item.	asis of the international application in the
b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing: X	the international search wa		the international application furnished to this
contained in the international application in written form. X	b. With regard to any nucleotide and	d/or amino acid sequence disclosed in the i	international application, the international search
filed together with the international application in computer readable form. furnished subsequently to this Authority in written form. furnished subsequently to this Authority in computer readable form. ithe statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. X the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. Certain claims were found unsearchable (See Box I). Unity of invention is lacking (see Box II). 4. With regard to the title, X the text is approved as submitted by the applicant. the text has been established by this Authority to read as follows: 5. With regard to the abstract, X the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.	The damed out on the pasis of the	sequence iisting :	
furnished subsequently to this Authority in written form. furnished subsequently to this Authority in computer readable form. the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. X the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. 2.			m
furnished subsequently to this Authority in computer readble form. It is statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. It is the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. Certain claims were found unsearchable (See Box I). Unity of invention is lacking (see Box II). Unity of invention is lacking (see Box II). With regard to the title, It is the text is approved as submitted by the applicant. the text has been established by this Authority to read as follows: State of the destruct is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. None of the figures.			ni.
the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. It is the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished. Certain claims were found unsearchable (See Box I). Unity of invention is lacking (see Box II). With regard to the title, It the text is approved as submitted by the applicant. the text has been established by this Authority to read as follows: State of the best is approved as submitted by the applicant. the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant, because the applicant failed to suggest a figure.			
the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished 2.	the statement that the subs	sequently furnished written sequence listing o	does not go beyond the disclosure in the
3. Unity of invention is lacking (see Box II). 4. With regard to the title, X the text is approved as submitted by the applicant. the text has been established by this Authority to read as follows: 5. With regard to the abstract, X the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. X None of the figures.	X the statement that the infor		is identical to the written sequence listing has been
3. Unity of invention is lacking (see Box II). 4. With regard to the title, X the text is approved as submitted by the applicant. the text has been established by this Authority to read as follows: 5. With regard to the abstract, X the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. X None of the figures.	2. Certain claims were foun	d unsearchable (See Box I).	
the text is approved as submitted by the applicant. the text has been established by this Authority to read as follows: 5. With regard to the abstract, X the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.		•	
the text is approved as submitted by the applicant. the text has been established by this Authority to read as follows: 5. With regard to the abstract, X the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.	With regard to the title.		
the text has been established by this Authority to read as follows: 5. With regard to the abstract, X the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.		mitted by the applicant	
5. With regard to the abstract, X the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.			
the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.	<u> </u>		
the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.			
the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.	F 18845 record to the abotropt		
the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority. 6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.		and the second of the second o	
6. The figure of the drawings to be published with the abstract is Figure No. as suggested by the applicant. because the applicant failed to suggest a figure.	the text has been established	ed, according to Bule 38 2(h), by this Authorit	by as it appears in Day III. The applicant may
as suggested by the applicant. Decause the applicant failed to suggest a figure. X None of the figures.	within one month from the c	late of mailing of this international search rep	ty as it appears in Box III. The applicant may, port, submit comments to this Authority.
because the applicant failed to suggest a figure.			
because the applicant failed to suggest a figure.	as suggested by the applica	ınt.	X None of the figures.
because this figure better characterizes the invention.		_	
	because this figure better ch	naracterizes the invention.	

International Application No PCT/EP 00/08071

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/12 C12N5/10 A01K67/027 A61K49/00

C12N5/10 C12N1/21 A61K49/00 C12Q1/68 C12N1/19

C07K14/47

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K A01K A61K C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, MEDLINE, STRAND

Category (Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X L	KESSLER J ET AL: "Investigation of the pathogenic mechanism of parkin mutations" SOCIETY FOR NEUROSCIENCE ABSTRACTS, vol. 25, no. 1-2, 1999, pages 52-Abstract 27.20, XP000884113 29th Annual Meeting of the Society for Neuroscience, Part 1, Miami Beach, Florida, USa, October 23-28, 1999 -& DALIE J E (PROGRAM MANAGER - SOCIETY FOR NEUROSCIENCE): "Publication dates for the 1999 Abstract Volumes" SOCIETY FOR NEUROSCIENCE ABSTRACTS, 16 August 1999 (1999-08-16), XP002157614	1-22
	-/	

	^	
*A' document defining the general state of the art which is not considered to be of particular relevance *E' earlier document but published on or after the international filing date *L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O' document referring to an oral disclosure, use, exhibition or other means *P' document published prior to the international filing date but later than the priority date claimed	 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention. 'X' document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone. 'Y' document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other, such documents, such combination being obvious to a person skilled in the art. '8' document member of the same patent family 	
Date of the actual completion of the international search	Date of mailing of the international search report	
27 February 2001	07/03/2001	
Name and mailing address of the ISA	Authorized officer	
European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Lonnoy, O	

1

International Application No
PCT/EP 00/08071

Category	Attion) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Allegory	ordinarior document, with indication, where appropriate, or the relevant passages	nelevant to ciaim No.
Y	DATABASE EMROD E.M.B.L. Databases; Accession Number: AB019558, 13 July 1999 (1999-07-13) SHIMIZU N ET AL: "Mus musculus mRNA for parkin, complete cds" XP002131476 cited in the application 100% identity in 1644 bp overlap with SeqIdNo.1 abstract	1-22
Y	WO 98 59050 A (JOHNSON WILLIAM G ;LAVEDAN CHRISTIAN (US); NUSSBAUM ROBERT L (US);) 30 December 1998 (1998–12–30) claims 62,63	8-22
Y	GOLDBERG M S ET AL: "STUDIES OF WILD-TYPE AND MUTANT ALPHA-SYNUCLEIN IN TRANSGENIC MICE" ANNUAL MEETING SOCIETY NEUROSCIENCE, XX, XX, vol. 24, no. 1/02, 1998, page 966 XP000884112 the whole document	8-22
Y	KITADA ET AL: "Mutations in the parkin gene cause autosomal recessive juvenile parkinsonism" NATURE,GB,MACMILLAN JOURNALS LTD. LONDON, vol. 392, no. 6676, 9 April 1998 (1998-04-09), pages 605-608, XP002108469 ISSN: 0028-0836 cited in the application figure 4C & WO 99 40191 A (SHIMIZU NOBUYOSHI ;MIZUNO YOSHIKUNI (JP)) 12 August 1999 (1999-08-12)	1-7
Y	LÜCKING ET AL: "Homozygous deletions in parkin gene in European and North African families with autosomal recessive juvenile parkinsonism" LANCET THE,GB,LANCET LIMITED. LONDON, vol. 352, no. 9137, 24 October 1998 (1998–10–24), pages 1355–1356, XP002108466 ISSN: 0140–6736 cited in the application the whole document	1-7

International Application No
PCT/EP 00/08071

C (Contin	nation) DOCHMENTS CONSIDERED TO BE BELLEVANT	
Category	Ottation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	HATTODY ET AL. HD	
Y	HATTORI ET AL: "Point Mutations (Thr240Arg and Ala311Stop) in the Parkin Gene" BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS,US,ACADEMIC PRESS INC. ORLANDO, FL, vol. 249, no. 3, 1998, pages 754-758, XP002108468 ISSN: 0006-291X cited in the application figure 1	1-7
Y	LEROY ET AL: "Deletions in the Parkin gene and genetic heterogeneity in a Greek family with early onset Parkinson's disease" HUMAN GENETICS, DE, BERLIN, vol. 103, no. 4, October 1998 (1998–10), pages 424–427, XP002108470 cited in the application figure 1	1-7
Y	ABBAS ET AL: "A wide variety of mutations in the parkin gene are responsible for autosomal recessive parkinsonism in Europe" HUMAN MOLECULAR GENETICS,GB,OXFORD UNIVERSITY PRESS, SURREY, vol. 8, no. 4, April 1999 (1999-04), pages 567-574, XP002108471 ISSN: 0964-6906 cited in the application the whole document	1-7
Y	HATTORI N ET AL: "Molecular genetic analysis of a novel Parkin gene in Japanese families with autosomal recessive juvenile parkinsonism: evidence for variable homozygous deletions in the Parkin gene in affected individuals" ANN NEUROL., vol. 44, no. 6, December 1998 (1998–12), pages 935–941, XP000877155 cited in the application table 2	1-7
Ρ,Χ	WO 00 31253 A (INST NAT SANTE RECH MED; BOULEY SANDRINE (FR); BRICE ALEXIS (FR);) 2 June 2000 (2000-06-02) claims 39,40	1-22


Information on patent family members

International Application No
PCT/EP 00/08071

Patent document cited in search report		Publication date		atent family member(s)	Publication date
WO 9859050	Α	30-12-1998	AU	8163798 A	04-01-1999
WO 0031253	Α	02-06-2000	FR FR AU	2786199 A 2797272 A 1276900 A	26-05-2000 09-02-2001 13-06-2000

Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

0	For receiving Office use only	
0-1	International Application No.	PCT/EP 0 0 / 0 8 0 7 1
0-2	International Filing Date	1 8 AUG 2000 (1 8. 08. 2000)
0-3	Name of receiving Office and "PCT International Application"	EUROPEAN PATENT OFFICE PCT INTERNATIONAL APPLICATION
0-4	Form - PCT/RO/101 PCT Request	
0-4-1	Prepared using	PCT-EASY Version 2.91 (updated 10.05.2000)
0-5	Petition The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty	
0-6	Receiving Office (specified by the applicant)	European Patent Office (EPO) (RO/EP)
0-7	Applicant's or agent's file reference	5807WO
i	Title of invention	TRANSGENIC ANIMAL MODEL FOR NEUROGENERATIVE DISEASES
П	Applicant	
II-1	This person is:	applicant only
11-2	Applicant for	all designated States except US
11-4	Name	BIOFRONTERA PHARMACEUTICALS GMBH
11-5	Address:	Hemmelrather Weg 201 D-51377 Leverkusen
		Germany
11-6	State of nationality	DE
11-7	State of residence	DE
III-1	Applicant and/or inventor	
111-1-1	This person is:	applicant and inventor
111-1-2	Applicant for	US only
111-1-4	Name (LAST, First)	LÜBBERT, Hermann
111-1-5	Address:	Höhenstraße 59
		D-51381 Leverkusen
		Germany
III-1-6	State of nationality	DE








Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

0	For receiving Office use only	
0-1	International Application No.	
0-2	International Filing Date	
0-3	Name of receiving Office and "PCT International Application"	
0-4	Form - PCT/RO/101 PCT Request	
0-4-1	Prepared using	PCT-EASY Version 2.91 (updated 10.05.2000)
0-5	Petition The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty	
0-6	Receiving Office (specified by the applicant)	European Patent Office (EPO) (RO/EP)
0-7	Applicant's or agent's file reference	5807WO
i	Title of invention	TRANSGENIC ANIMAL MODEL FOR NEUROGENERATIVE DISEASES
11	Applicant	
II-1	This person is:	applicant only
II-2	Applicant for	all designated States except US
11-4	Name	BIOFRONTERA PHARMACEUTICALS GMBH
II-5	Address:	Hemmelrather Weg 201
		D-51377 Leverkusen
		Germany
II-6	State of nationality	DE
11-7	State of residence	DE
III-1	Applicant and/or inventor	
III-1-1	This person is:	applicant and inventor
III-1-2	Applicant for	US only
III-1-4	Name (LAST, First)	LÜBBERT, Hermann
111-1-5	Address:	Höhenstraße 59
		D-51381 Leverkusen
		Germany
III-1-6	State of nationality	_
111-1-0	State of flationality	DE

5807WO






5807WO

Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

IV-1	Agent or common representative; or	
	address for correspondence The person identified below is	agent
	hereby/has been appointed to act on	agenc
	behalf of the applicant(s) before the competent International Authorities as:	
IV-1-1	Name	STERNAGEL, FLEISCHER, GODEMEYER &
		PARTNER
IV-1-2	Address:	Braunsberger Feld 29
		D-51429 Bergisch Gladbach
		Germany
IV-1-3	Telephone No.	+49-2204-98560
IV-1-4	Facsimile No.	+49-2204-985625
IV-1-5	e-mail	bgl@polypatent.de
V	Designation of States	
V-1	Regional Patent (other kinds of protection or treatment, if	EP: AT BE CH&LI CY DE DK ES FI FR GB GR
	any, are specified between parentheses	IE IT LU MC NL PT SE and any other State
	after the designation(s) concerned)	which is a Contracting State of the
		European Patent Convention and of the
		PCT
V-2	National Patent (other kinds of protection or treatment, if	CA JP US
	any, are specified between parentheses	
	after the designation(s) concerned)	
V-5	Precautionary Designation Statement In addition to the designations made	
	under items V-1, V-2 and V-3, the	
	applicant also makes under Rule 4.9(b) all designations which would be	
	permitted under the PCT except any	
	designation(s) of the State(s) indicated	
	under item V-6 below. The applicant declares that those additional	
	designations are subject to confirmation	
	and that any designation which is not	
	confirmed before the expiration of 15 months from the priority date is to be	
	regarded as withdrawn by the applicant	
	at the expiration of that time limit.	
V-6	Exclusion(s) from precautionary designations	NONE
VI-1	Priority claim of earlier regional	
VI-1-1	application Filing date	30 August 1999 (30.08.1999)
VI-1-2	Number	99116766.9
VI-1-3	Regional Office	EP
VI-2	Priority document request	
-	The receiving Office is requested to	VI-1
	prepare and transmit to the International	
	Bureau a certified copy of the earlier application(s) identified above as	
	item(s):	
VII-1	International Searching Authority Chosen	European Patent Office (EPO) (ISA/EP)




Cong

Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

VII-2	Request to use results of earlier search; reference to that search		
VII-2-1	Date	24 February 2000 (24	1.02.2000)
VII-2-2	Number	99 116 766.9	•
VII-2-3	Country (or regional Office)	EP	
VIII	Check list	number of sheets	electronic file(s) attached
VIII-1	Request	4	-
VIII-2	Description (excluding sequence listing part)	32	-
VIII-3	Claims	4	-
VIII-4	Abstract	1	5807ep abstract.txt
VIII-5	Drawings	4	-
VIII-6	Sequence listing part of description	39	-
VIII-7	TOTAL	84	
	Accompanying items	paper document(s) attached	electronic file(s) attached
VIII-8	Fee calculation sheet	√	-
VIII-15	Nucleotide and/or amino acid sequence listing in computer readable form		separate diskette
VIII-16	PCT-EASY diskette	-	diskette
VIII-18	Figure of the drawings which should accompany the abstract	None	
VIII-19	Language of filing of the international application	English	
IX-1	Signature of applicant or agent		
IX-1-1	Name	STERNAGEL, FLEISCHEF PARTNER	R, GODEMEYER &
IX-1-2	Name of signatory	Dr. Holm Fleischer	
IX-1-3	Capacity	Representative (Asso	ociation No. 144)

FOR RECEIVING OFFICE USE ONLY

10-1	Date of actual receipt of the purported international application	
10-2	Drawings:	
10-2-1	Received	
10-2-2	Not received	
10-3	Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application	
10-4	Date of timely receipt of the required corrections under PCT Article 11(2)	
10-5	International Searching Authority	ISA/EP
10-6	Transmittal of search copy delayed until search fee is paid	



4/4

PCT REQUEST




Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

FOR INTERNATIONAL BUREAU USE ONLY

11-1	Date of receipt of the record copy by	
	the International Bureau	

5807WO

		•-
		in .



PCT (ANNEX - FEE CALCULATION SHEET)

Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

5807WO

(This sheet is not part of and does not count as a sheet of the international application)

0	For receiving Office use only								
0-1	International Application No.								
0-2	Date stamp of the receiving Office			· 					
0-4	Form - PCT/RO/101 (Annex)								
0-4-1	PCT Fee Calculation Sheet Prepared using	DCT-E) CV	Vora	ion 2.91				
					5.2000)				
0-9	Applicant's or agent's file reference	5807W		10.0	3.2000)				
2	Applicant			מ מקי	HARMACEUTI	CATC	CMBH		-
12	Calculation of prescribed fees	fee amo			total amounts (E		GMDH,	еса	<u> </u>
12-1	Transmittal fee		<u>⇔</u>	antiplier	total amounts (L	102			
12-2	Search fee					945			
12-3	International fee	<u> </u>				945			
	Basic fee								
	(first 30 sheets) b ⁴			409					
12-4	Remaining sheets	54		-					
12-5	Additional amount (X	9							
12-6	Total additional amount b2		-	486					
12-7	b1 + b2 = E			895					
12-8	Designation fees	<u> </u>		-					
	Number of designations contained in international application	4							
12-9	Number of designation fees payable (maximum 8)	4							
12-10	Amount of designation fee (X	88							
12-11	Total designation fees C			352					
12-12	PCT-EASY fee reduction F			-126					
12-13	Total International fee (B+D-R)		⊏;		1	.121			
12-14	Fee for priority document Number of priority documents requested	1					·		
12-15	Fee per document (X	30							
12-16	Total priority document fee F		⇨		****	30			
12-17	TOTAL FEES PAYABLE (T+S+I+P)		□ ;		2	.198			
12-19	Mode of payment	autho	riza	ation	to charge	depo	sit a	ccoun	t
12-20	Deposit account instructions								
	The receiving Office:	Europ	ean	Pate	nt Office	(EPO)	(RO/	EP)	
12-20-1	is hereby authorized to charge the total fees indicated above to my deposit account	√							
12-20-2	L	✓		_					





Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

PCT-EASY INFORMATION SHEET

(For applicant use only, DO NOT submit this sheet with the international application)

VALIDATION LOG


	States
Green?	More designations could be made. The following States have not been designated: AP:(GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW); EA:(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM); OA:(BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG); AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CH, LI, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW. Please verify.
	Names
Green?	Applicant 1.:Telephone No. missing
Green?	Applicant 1.:Facsimile No. missing
	Contents
Yellow!	The power of attorney or a copy of the general power of attorney will need to be furnished unless all applicants sign the request form.
	Fees
Green?	Please confirm that fee schedule utilized is the latest available
	Payment
Green?	Please ensure that you have a valid deposit account with the receiving Office selected.

Before submitting the International Application, please carefully verify that:

- -the information contained on printed Request form is correct;
- -Box IX of the Request form and item 12-22 of the Annex to the Request form have been signed;
- -all elements of the international application as indicated in Box VIII of the Request form have been attached; and,
- -the diskette containing the PCT-EASY zip file of the International Application has been enclosed and has been clearly labeled "PCT-EASY", with the applicant's or agent's file reference, and the first applicant's name.

ATTENTION

DO NOT modify any indications on the Request form printout. The attached PCT-EASY application has been locked. If an error or an omission is discovered at this time, you must copy the submitted application as a template and make the change or correction in a new application (using the submitted application as a template). You may create such a template by copying the submitted application from the "Stored Forms" folder to the "New PCT Forms" folder. Open the new (.0WO) file created in the "New PCT Forms" folder, correct the errors and proceed with the submission process again.





PCT (ANNEX - FEE CALCULATION SHEET)

Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

12-20-3	is hereby authorized to charge the fee for preparation and transmittal of the priority document to the International Bureau of WIPO to my deposit account	
12-21	Deposit account No.	28 000 797
12-22	Date	17 August 2000 (17.08.2000)
12-23	Name and signature	STERNAGEL, FLEISCHER, GODEMEYER & SPARTNER

VALIDATION LOG AND REMARKS

13-2-2	Validation messages	Green?
	States	More designations could be made. The
		following States have not been
		designated: AP: (GH, GM, KE, LS, MW, MZ,
		SD, SL, SZ, TZ, UG, ZW); EA: (AM, AZ,
		BY, KG, KZ, MD, RU, TJ, TM); OA: (BF,
		BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR,
		NE, SN, TD, TG); AE, AG, AL, AM, AT, AU,
		AZ, BA, BB, BG, BR, BY, BZ, CH, LI, CN,
		CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI,
		GB, GD, GE, GH, GM, HR, HU, ID, IL, IN,
		IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS,
		LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,
		MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG,
		SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,
		UZ, VN, YU, ZA, ZW. Please verify.
13-2-3	Validation messages Names	Green?
	Names	Applicant 1.: Telephone No. missing
		Green?
		Applicant 1.: Facsimile No. missing
13-2-6	Validation messages Contents	Yellow!
	Contents	The power of attorney or a copy of the
		general power of attorney will need to
		be furnished unless all applicants sign
		the request form.
13-2-7	Validation messages Fees	Green?
		Please confirm that fee schedule
		utilized is the latest available
13-2-8	Validation messages Payment	Green?
	ayment	Please ensure that you have a valid
		deposit account with the receiving
		Office selected.

		.•
		•

Original (for SUBMISSION) - printed on 17.08.2000 11:17:30 AM

PCT-EASY INFORMATION SHEET

(For applicant use only, DO NOT submit this sheet with the international application)

VALIDATION LOG


	States
Green?	More designations could be made. The following States have not been designated: AP.(GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW); EA.(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM); OA.(BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG); AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CH, LI, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, Please verify.
	Names
Green?	Applicant 1.:Telephone No. missing
Green?	Applicant 1.:Facsimile No. missing
	Contents
Yellow!	The power of attorney or a copy of the general power of attorney will need to be furnished unless all applicants sign the request form.
	Fees
Green?	Please confirm that fee schedule utilized is the latest available
	Payment
Green?	Please ensure that you have a valid deposit account with the receiving Office selected.

Before submitting the International Application, please carefully verify that:

- -the information contained on printed Request form is correct;
- -Box IX of the Request form and item 12-22 of the Annex to the Request form have been signed;
- -all elements of the international application as indicated in Box VIII of the Request form have been attached; and,
- -the diskette containing the PCT-EASY zip file of the International Application has been enclosed and has been clearly labeled "PCT-EASY", with the applicant's or agent's file reference, and the first applicant's name.

ATTENTION

DO NOT modify any indications on the Request form printout. The attached PCT-EASY application has been locked. If an error or an omission is discovered at this time, you must copy the submitted application as a template and make the change or correction in a new application (using the submitted application as a template). You may create such a template by copying the submitted application from the "Stored Forms" folder to the "New PCT Forms" folder. Open the new (.0WO) file created in the "New PCT Forms" folder, correct the errors and proceed with the submission process again.




From the RECEIVING OFFIC To: STERNAGEL, FLEISCHER, GODEMEYER & PARTNER Braunsberger Feld 29 D-51429 Bergisch Gladb ALLEMAGNE	£	ernagel, Pielsch demeyer & Par 2 2. Sep. 2000 NOTIFICATI APPLICA 3°83°13'en (Kreeks	Ther PCT ION OF THE INTERNATIONAL TION NUMBER AND OF THE MATIONAL FILING DATE (PCT Rule 20.5(c))
		Date of mailing (dayimonthiyear)	2 0, 09, 2000
Applicant's or agent's file reference 5807WO		IMPOR	TANT NOTIFICATION
International application No. PCT/EP 00/ 08071	International filing date 18/08/		Priority date (day/month/year) 30/08/1999
Applicant BIOFRONTERA PHARMACE	CUTICALS GMBH		
Title of the invention			
3. Other:			
• The International Bureau monitors (with Form PCT/IB/301) of its rece the priority date, the International F	ript. Should the record copy i	not have been received	Office and will notify the applicant d by the expiration of 14 months from
Name and mailing address of the receiv	ring Office	Authorized officer	

N. Mailliand

N. MAILLIARD Tel.: (070) 340.28.55 The Hague

TENT COOPERATION TREATY

European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016



PATENT COOPERATION TREATY

PCT

Sternagel, Fleischer, Godemeyer & Partner


0 7. März 2001

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

eingegangen/recelved

Applicant's or agent's file refer	10111011111			national Search Report applicable, item 5 below.
5807W0	ACTION	` <u> </u>		
International application No.	International filing date	(day/month/year)	(Earliest) Priority [Date (day/month/year)
PCT/EP 00/08071	18/08/2	2000	30.	/08/1999
Applicant				
BIOFRONTERA PHARMA	CEUTICALS GMBH et al.			
	port has been prepared by this Interna		rity and is transmitt	ed to the applicant
according to Article 18. A cop	y is being transmitted to the Internatio	nal Bureau.		
This international Search Rei	port consists of a total of4	sheets.		
	ompanied by a copy of each prior art d		port.	
Basis of the report With regard to the law	aguage, the international coerch was a	parriad out on the basis	of the internationa	Lapplication in the
	aguage, the international search was d was filed, unless otherwise indicated u		of the internationa	гаррисацоп ил те
	nal search was carried out on the basi	s of a translation of the	international applic	cation furnished to this
Authority (Ru				
	ucleotide and/or amino acid sequent e basis of the sequence listing:	ce disclosed in the inter	rnational applicatio	n, the international search
<u> </u>	he international application in written f	orm.		
	with the international application in co	•		
=	sequently to this Authority in written for			
	sequently to this Authority in compute that the subsequently furnished writte		s not ao bevond th	e disclosure in the
international	application as filed has been furnished		o not go so, one an	
X the statemen furnished	that the information recorded in comp	outer readable form is id	dentical to the writte	en sequence listing has been
2. Certain clain	ns were found unsearchable (See Bo	ox I).		
3. Unity of inve	ntion is lacking (see Box II).			
4. With regard to the title ,				
	proved as submitted by the applicant.	ad as fallows.		
the text has b	een established by this Authority to re	ad as follows:		
5 With regard to the abstra	ct,			
	proved as submitted by the applicant.	O/h) bu this Authority	no it opposes in De	. III. The englished was
	een established, according to Rule 38 inth from the date of mailing of this into			
6. The figure of the drawing	s to be published with the abstract is F	Figure No.		
as suggested	by the applicant.		X	None of the figures.
because the a	applicant failed to suggest a figure.			
because this	figure better characterizes the inventio	n.		



INTI NATIONAL SEARCH REPORT

rnational Application No PCT/EP 00/08071

a. classification of subject matter IPC 7 C12N15/12 C12N5/10

C. DOCUMENTS CONSIDERED TO BE RELEVANT

A01K67/027

A61K49/00

C12N1/21C12Q1/68 C12N1/19

CO7K14/47

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 C12N C07K A01K A61K C120

C12N C07K A01K A61K C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, MEDLINE, STRAND


Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
X	KESSLER J ET AL: "Investigation of the pathogenic mechanism of parkin mutations" SOCIETY FOR NEUROSCIENCE ABSTRACTS, vol. 25, no. 1-2, 1999, pages 52-Abstract 27.20, XP000884113 29th Annual Meeting of the Society for Neuroscience, Part 1, Miami Beach, Florida, USa, October 23-28, 1999	1-22
L	-& DALIE J E (PROGRAM MANAGER - SOCIETY FOR NEUROSCIENCE): "Publication dates for the 1999 Abstract Volumes" SOCIETY FOR NEUROSCIENCE ABSTRACTS, 16 August 1999 (1999-08-16), XP002157614	

X Further documents are listed in the continuation of box C. Special categories of cited documents	Patent family members are listed in annex. 'T' later document published after the international filing date
 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international filing date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'O' document referring to an oral disclosure, use, exhibition or other means 'P' document published prior to the international filing date but later than the priority date claimed 	or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention. *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone. *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family
Date of the actual completion of the international search 27 February 2001	Date of mailing of the international search report $07/03/2001$
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Lonnoy, 0

INTIMIATIONAL SEARCH REPORT

PCT/EP 00/08071


Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	DATABASE EMROD E.M.B.L. Databases; Accession Number: AB019558, 13 July 1999 (1999-07-13) SHIMIZU N ET AL: "Mus musculus mRNA for parkin, complete cds" XP002131476 cited in the application 100% identity in 1644 bp overlap with SeqIdNo.1 abstract	1-22
Y	WO 98 59050 A (JOHNSON WILLIAM G ;LAVEDAN CHRISTIAN (US); NUSSBAUM ROBERT L (US);) 30 December 1998 (1998-12-30) claims 62,63	8-22
Y	GOLDBERG M S ET AL: "STUDIES OF WILD-TYPE AND MUTANT ALPHA-SYNUCLEIN IN TRANSGENIC MICE" ANNUAL MEETING SOCIETY NEUROSCIENCE,XX,XX, vol. 24, no. 1/02, 1998, page 966 XP000884112 the whole document	8-22
Y	KITADA ET AL: "Mutations in the parkin gene cause autosomal recessive juvenile parkinsonism" NATURE,GB,MACMILLAN JOURNALS LTD. LONDON, vol. 392, no. 6676, 9 April 1998 (1998-04-09), pages 605-608, XP002108469 ISSN: 0028-0836 cited in the application figure 4C & WO 99 40191 A (SHIMIZU NOBUYOSHI; MIZUNO YOSHIKUNI (JP)) 12 August 1999 (1999-08-12)	1-7
,	LÜCKING ET AL: "Homozygous deletions in parkin gene in European and North African families with autosomal recessive juvenile parkinsonism" LANCET THE,GB,LANCET LIMITED. LONDON, vol. 352, no. 9137, 24 October 1998 (1998–10–24), pages 1355–1356, XP002108466 ISSN: 0140–6736 cited in the application	1-7



INTERIATIONAL SEARCH REPORT

national Application No PCT/EP 00/08071

	uation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
Y	HATTORI ET AL: "Point Mutations (Thr240Arg and Ala311Stop) in the Parkin Gene" BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, US, ACADEMIC PRESS INC. ORLANDO, FL, vol. 249, no. 3, 1998, pages 754-758, XP002108468 ISSN: 0006-291X cited in the application figure 1	1-7
Y	LEROY ET AL: "Deletions in the Parkin gene and genetic heterogeneity in a Greek family with early onset Parkinson's disease" HUMAN GENETICS, DE, BERLIN, vol. 103, no. 4, October 1998 (1998–10), pages 424–427, XP002108470 cited in the application figure 1	1-7
Y	ABBAS ET AL: "A wide variety of mutations in the parkin gene are responsible for autosomal recessive parkinsonism in Europe" HUMAN MOLECULAR GENETICS,GB,OXFORD UNIVERSITY PRESS, SURREY, vol. 8, no. 4, April 1999 (1999-04), pages 567-574, XP002108471 ISSN: 0964-6906 cited in the application the whole document	1-7
Y	HATTORI N ET AL: "Molecular genetic analysis of a novel Parkin gene in Japanese families with autosomal recessive juvenile parkinsonism: evidence for variable homozygous deletions in the Parkin gene in affected individuals" ANN NEUROL., vol. 44, no. 6, December 1998 (1998–12), pages 935–941, XP000877155 cited in the application table 2	1-7
Ρ,Χ	WO 00 31253 A (INST NAT SANTE RECH MED; BOULEY SANDRINE (FR); BRICE ALEXIS (FR);) 2 June 2000 (2000-06-02) claims 39,40	1-22



INTERIATIONAL SEARCH REPORT

Information on patent family members

rnational Application No PCT/EP 00/08071

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9859050	A 30-12-1998	AU 8163798 A	04-01-1999
WO 0031253	A 02-06-2000	FR 2786199 A FR 2797272 A AU 1276900 A	26-05-2000 09-02-2001 13-06-2000

From the INTERNATIONAL SEARCHING AUTHORITY	PCT				
Braunsberger Feld 29 D-51429 Bergisch Gladbach GERMANY	gel, Fleischer Ottfication of transmittal of eyer & Partner international search report or the declaration März 2001 (PCT Rule 44.1)				
	Date of mailing (day/month/year) 07/03/2001				
Applicant's or agent's file reference 5807W0	FOR FURTHER ACTION See paragraphs 1 and 4 below				
International application No. PCT/EP 00/08071	International filing date (day/month/year) 18/08/2000				
BIOFRONTERA PHARMACEUTICALS GMBH et al.					
1. X The applicant is hereby notified that the International Search Report has been established and is transmitted herewith. Filing of amendments and statement under Article 19: The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46): When? The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet. Where? Directly to the International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Fascinile No.: (41-22) 740.14.35 For more detailed instructions, see the notes on the accompanying sheet. 2. The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith. 3. With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that: the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices. no decision has been made yet on the protest: the applicant will be notified as soon as a decision is made. 4. Further action(s): The applicant is reminded of the following: Shortly after 18 months from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau a provided in Rules 90bis.1 and 90bis.3, respectively, before the completion of the technical preparations to international publication.					
Within 19 months from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later). Within 20 months from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.					
Name and mailing address of the International Searching Authority European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Carla Louro				

		•
		•

NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively

INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international politication. Furthermore, it should be emphasized that provisional protection is available in some States only

What parts of the international application may be amended?

Under Article 19, only the claims may be amended

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been fis filed, see below.

How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

What documents must/may accompany the amendments?

Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

Notes to Form PCT/ISA/220 (first sheet) (January 1994)

NOTES TO FORM PCT/ISA/220 (continued)

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new,
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

- [Where originally there were 48 claims and after amendment of some claims there are 51]:
 "Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
- [Where originally there were 15 claims and after amendment of all claims there are 11]: "Claims 1 to 15 replaced by amended claims 1 to 11."
- [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:
 "Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or
 - "Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or "Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
- 4. [Where various kinds of amendments are made]: "Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

"Statement under article 19(1)" (Rule 46.4)

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

It must be in the language in which the international appplication is to be published.

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

Consequence if a demand for international preliminary examination has aiready been filed

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

Consequence with regard to translation of the international application for entry into the national phase

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

Notes to Form PCT/ISA/220 (second sheet) (January 1994)

